

快插接头

第16章




ONE-TOUCH FITTINGS

快插接头



STRUCTURE 结构图



SPECIFICATIONS 规格

Fluid 流体	Compressed Air, Vacuum 压缩空气, 真空
Operating pressure 操作压力	0~1.0Mpa(0~10.2kgf/cm²)
Negative pressure 负压	-750mmHg
Pressure proof 耐压	1.5MPa
Operating temperature 使用温度	5~60℃
Tube material 用管材质	Nylon and Polyurethane 尼龙和聚氨酯

ORDERING CODE 订购代号


PC				8		-		G01		0	
Model 型号		Tube Outer Dia 管外径				Thread Size 螺纹尺寸				Sleeve Color 帽盖颜色	
METRIC SIZE 公制尺寸		INCH SIZE 英制尺寸				R(BSPT)		NPT		G(BSPP)	
CODE	DIA.	CODE	DIA.			M5×0.8P	U:10-32UNF	G 01:1/8		NPT: Black N P T 螺纹：黑色	
4	ø 4	5/32	ø 5/32			M6×1.0P	N 01:1/8	G 02:1/4		R,G: Blue R , G 螺纹：蓝色	
6	ø 6	3/16	ø 3/16			01:1/8	N 02:1/4	G 03:3/8		N: Nickel plat N：镀镍	
8	ø 8	1/4	ø 1/4			02:1/4	N 03:3/8	G 04:1/2			
10	ø 10	5/16	ø 5/16			03:3/8	N 04:1/2				
12	ø 12	3/8	ø 3/8			04:1/2					
16	ø 16	1/2	ø 1/2								

ONE-TOUCH FITTINGS

快插接头



POC



METRIC-BSPT (R) 公制管-BSPT(R)螺纹

MODEL	ΦD	T (Thread)	L	A	B	H	P	ORIFICE
POC-04-1/8	4	PT1/8	20.3	8	15	3	10	3
POC-04-1/4		PT1/4	18.4	10		3		3
POC-04-3/8		PT3/8	19	11		4		3
POC-04-M5		M5×P0.8	20.1	4		2		2
POC-04-M6		M6×P1.0	20.6	4		2.5		3
POC-06-1/8	6	PT1/8	21	8	15	4	12	4
POC-06-1/4		PT1/4	22.8	10		4		4
POC-06-3/8		PT3/8	20.8	11		4		4
POC-06-1/2		PT1/2	24.8	14		4		4
POC-06-M5		M5×P0.8	21	4		2		2
POC-06-M6		M6×P1.0	21	4		2.5		3
POC-08-1/8	8	PT1/8	25.4	8	18	5	14	5
POC-08-1/4		PT1/4	24.4	10		6		6
POC-08-3/8		PT3/8	21.4	11		6		6
POC-08-1/2		PT1/2	25.4	14		6		6
POC-10-1/8	10	PT1/8	29.5	8	22	5	17	5
POC-10-1/4		PT1/4	31	10		6		6
POC-10-3/8		PT3/8	28.5	11		8		8
POC-10-1/2		PT1/2	26.8	14		8		8
POC-12-1/8	12	PT1/8	32	8	22	5	20	5
POC-12-1/4		PT1/4	34	10		6		6
POC-12-3/8		PT3/8	31	11		8		8
POC-12-1/2		PT1/2	33.5	14		8		8
POC-16-3/8	16	PT3/8	37.8	11	24	8	24	8
POC-16-1/2		PT1/2	39.8	14		10		10

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	T (Thread)	L	A	B	H	ORIFICE
POC5/32-UNF	5/32	11.0	UNF10/32	20.8	3.5	15	3/32	2.4
POC5/32-N01		11.0	NPT1/8	21.0	8.5		1/8	3.2
POC5/32-N02		14.0	NPT1/4	22.0	10.5		1/8	3.2
POC3/16-UNF	3/16	11.0	UNF10/32	22.4	3.5	15	3/32	2.4
POC3/16-N01		12.0	NPT1/8	22.7	8.5		1/8	3.2
POC3/16-N02		14.0	NPT1/4	23.7	10.5		1/8	3.2
POC1/4-UNF	1/4	13.0	UNF10/32	22.9	3.5	15	3/32	2.4
POC1/4-N01		13.0	NPT1/8	23.6	8.5		3/16	4.8
POC1/4-N02		14.0	NPT1/4	23.8	10.5		3/16	4.8
POC5/16-N01	5/16	14.0	NPT1/8	27.5	8.5	18	3/16	4.8
POC5/16-N02		14.0	NPT1/4	25.5	10.5		1/4	6.4
POC5/16-N03		18.0	NPT3/8	25.5	11.5		1/4	6.4
POC3/8-N01	3/8	18.0	NPT1/8	28.2	8.5	22	3/16	4.8
POC3/8-N0		18.0	NPT1/4	28.2	10.5		1/4	6.4
POC3/8-N03		18.0	NPT3/8	28.2	11.5		5/16	8.0
POC3/8-N04		22.0	NPT1/2	29.2	14.5		5/16	8.0
POC1/2-N02	1/2	21.0	NPT1/4	35.4	10.5	22	1/4	6.4
POC1/2-N03		21.0	NPT3/8	32.9	11.5		3/8	9.5
POC1/2-N04		22.0	NPT1/2	33.0	14.5		3/8	9.5

METRIC-BSPT (R) 公制管-BSPT(R)螺纹

MODEL	ΦD	T (Thread)	E	L	A	B	H	ΦP	d	ORIFIC
PL-04-1/8	4	PT1/8	24	29.7	8	15	10	11	6.5	2.5
PL-04-1/4		PT1/4	26.3	32.7	10		14		8.7	2.5
PL-04-3/8		PT3/8	28	34	11		17		11.7	2.5
PL-04-M5		M5×P0.8	24	26.5	4		10		2.5	2.5
PL-04-M6		M6×P1.0	24	27	4		10		2.5	2.5
PL-06-1/8	6	PT1/8	25.2	30.9	8	15	12	13	6.5	2.5
PL-06-1/4		PT1/4	26.9	33.9	10		14		8.5	4
PL-06-3/8		PT3/8	28.6	35.2	11		17		11.2	4
PL-06-1/2		PT1/2	30.9	38.7	14		21		14	4.5
PL-06-M5		M5×P0.8	25.2	38.2	4		12		2.5	2.5
PL-06-M6		M6×P1.0	25.2	28.7	5		12		2.5	2.5
PL-08-1/8	8	PT1/8	30.5	35.4	8	18	14	14.4	6.8	4
PL-08-1/4		PT1/4	30.5	37.4	10		14		8.2	4
PL-08-3/8		PT3/8	32.2	38.7	11		17		11.9	4
PL-08-1/2		PT1/2	34.5	42.2	14		21		13.9	4
PL-10-1/8	10	PT1/8	37.4	42	8	22	17	18.4	6.5	6.5
PL-10-1/4		PT1/4	37.4	44	10		17		8.3	6.5
PL-10-3/8		PT3/4	37.4	45	11		17		11.7	6.5
PL-10-1/2		PT1/2	39.7	48.5	14		21		14.3	7.5
PL-12-1/8	12	PT1/8	40.4	44.5	8	22	19	21	6.5	6.5
PL-12-1/4		PT1/4	40.4	46.5	10		19		8	6.5
PL-12-3/8		PT3/8	40.4	48.5	11		19		11.5	7
PL-12-1/2		PT1/2	41.5	51	14		21		14	7.5
PL-16-3/8	16	PT3/8	46.2	57.5	11	24	24	26	11	11
PL-16-1/2		PT1/2	46.2	60.5	14		24		14	14


INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	T (Thread)	L	E	A	B	H	ORIFIC
PL-5/32-UNF	5/32	11	UNF10/32	26.7	23.7	3.6	15	7/16	2.5
PL-5/32-N01		11	NPT1/8	30.3		8.5		7/16	3.3
PL-5/32-N02		11	NPT1/4	33.3		10.5		9/16	3.3
PL-3/16-UNF	3/16	13	UNF10/32	27.2	24.2	3.6	15	7/16	3.3
PL-3/16-N01		13	NPT1/8	30.8		8.5		7/16	3.3
PL-3/16-N02		13	NPT1/4	33.8		10.5		9/16	3.3
PL-3/16-N03	3/16	13	NPT3/8	34.8	26.5	11.5	15	11/16	3.3
PL-1/4-UNF		13	UNF10/32	32.4		3.6		1/2	2.5
PL-1/4-N01		13	NPT1/8	34.3		8.5		1/2	4.5
PL-1/4-N02	1/4	13	NPT1/4	37	30.1	10.5	15	9/16	4.5
PL-1/4-N03		13	NPT3/8	38		11.5		11/16	4.5
PL-5/16-N01	5/16	14.4	NPT1/8	36.7		8.5	18	9/16	6.6
PL-5/16-N02		14.4	NPT1/4	38.7		10.5		9/16	6.6
PL-5/16-N03		14.4	NPT3/8	39.7		11.5		11/16	6.6
PL-5/16-N04	5/16	14.4	NPT1/2	42.7	32.3	14.5	18	7/8	6.6
PL-3/8-N01		18.4	NPT1/8	38.8		8.5		11/16	5.5
PL-3/8-N02		18.4	NPT1/4	40.8		10.5		11/16	7.7
PL-3/8-N03	3/8	18.4	NPT3/8	41.8	37.8	11.5	22	11/16	7.7
PL-3/8-N04		18.4	NPT1/2	44.8		14.5		7/8	7.7
PL-1/2-N02	1/2	21	NPT1/4	46		10.5	22	3/4	8.8
PL-1/2-N03		21	NPT3/8	47		11.5		3/4	9.9
PL-1/2-N04		21	NPT1/2	50		14.5		7/8	9.9


METRIC-BSPP (G) 公制管-BSPP(G)螺纹

MODEL	ΦD	T (Thread)	L	E	A	B	H	ORIFIC
PL04-G01	4	G 1/8	30.3	22.1	5.5	15	14	2.5
PL04-G02		G 1/4	32	21.4	7.5		17	2.5
PL06-G01	6	G 1/8	32.3	23.2	5.5	15	14	2.5
PL06-G02		G 1/4	34.8	23.5	7.5		17	4
PL06-G03	6	G 3/8	36.2	20.5	7.5	15	20	4
PL08-G01		G 1/8	32.5	25.5	5.5	18	14	4
PL08-G02	8	G 1/4	35.5	24.5	7.5		17	4
PL08-G03		G 3/8	37.5	21	7.5	18	20	6
PL08-G04	8	G 1/2	40	24.5	10		24	6
PL10-G01		G 1/8	38.9	29.2	5.5	22	17	6
PL10-G02	10	G 1/4	42.5	30.9	7.5		17	6.5
PL10-G03		G 3/8	44.1	27.2	7.5	22	20	6.5
PL10-G04	10	G 1/2	46.9	30.4	10		24	7.5
PL12-G02		G 1/4	44.5	33.5	7.5	22	19	6.5
PL12-G03	12	G 3/8	46.6	28.5	7.5		20	7
PL12-G04		G 1/2	49.6	31	10	24	24	7.5
PL16-G03	16	G 3/8	55.4	35.5	7.5		24	11
PL16-G04		G 1/2	60	38	10		24	14

PL



PL-G




ONE-TOUCH FITTINGS


快插接头



PT



PT-G



METRIC-BSPT (R) 公制管-BSPT(R)螺纹

MODEL	ΦD	T (Thread)	L	E	A	B	H	ΦP	d	ORIFIC
PT-04-1/8	4	PT1/8	29.7	36.6	8	15	10	11	6.5	2.5
PT-04-1/4		PT1/4	32.7		10		14		8.7	2.5
PT-04-3/8		PT3/8	34		11		17		11.7	2.5
PT-04-M5		M5×P0.8	26.5		4		10		2.5	2.5
PT-04-M6	6	M6×P1.0	27	37.8	4	15	10	13	2.5	2.5
PT-06-1/8		PT1/8	30.9		8		12		6.5	2.5
PT-06-1/4		PT1/4	33.9		10		14		8.5	4
PT-06-3/8		PT3/8	35.2		11		17		11.2	4
PT-06-1/2	8	PT1/2	38.7	45	14	18	21	14.4	14	4.5
PT-06-M5		M5×P0.8	28.2		4		12		2.5	2.5
PT-06-M6		M6×P1.0	28.7		4		12		2.5	2.5
PT-08-1/8		PT1/8	35.4		8		14		6.8	4
PT-08-1/4	10	PT1/4	37.4	55.4	10	22	14	18.4	8.2	4
PT-08-3/8		PT3/8	38.7		11		17		11.9	4
PT-08-1/2		PT1/2	42.2		14		21		13.9	4
PT-10-1/8		PT1/8	42		8		17		6.5	6.5
PT-10-1/4	12	PT1/4	44	59	10	22	17	21	8.3	6.5
PT-10-3/8		PT3/8	45		11		17		11.7	6.5
PT-10-1/2		PT1/2	48.5		14		21		14.3	7.5
PT-12-1/8		PT1/8	44.5		8		19		6.5	6.5
PT-12-1/4	16	PT1/4	46.5	65	10	24	19	26	8	6.5
PT-12-3/8		PT3/8	48.5		11		19		11.5	6.5
PT-12-1/2		PT1/2	51		14		21		14	6.5
PT-16-3/8		PT3/8	57.5		11		24		11	11
PT-16-1/2		PT1/2	60.5		14	24	24		14	14

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	T (Thread)	L	E	A	B	H	ORIFICE
PT5/32-UNF	5/32	11	UNF10/32	26.7	37.0	3.6	15	7/16	2.5
PT5/32-N01			NPT1/8	30.3		8.5		7/16	3
PT5/32-N02			NPT1/4	33.3		10.5		9/16	3
PT3/16-UNF	3/16	13	UNF10/32	27.2	38.2	3.6	15	7/16	2
PT3/16-N01			NPT1/8	30.8		8.5		7/16	3
PT3/16-N02			NPT1/4	33.8		10.5		9/16	3
PT3/16-N03			UPT3/8	34.8		11.5		11/16	3
PT1/4-UNF	1/4	13	UNF10/32	32.4	40.8	3.6	15	1/2	2.5
PT1/4-N01			NPT1/8	34.3		8.5		1/2	4.5
PT1/4-N02			NPT1/4	37		10.5		9/16	4.5
PT1/4-N03			NPT3/8	38		11.5		11/16	4.5
PT5/16-N01	5/16	14.4	NPT1/8	36.7	43.7	8.5	18	9/16	6
PT5/16-N02			NPT1/4	38.7		10.5		9/16	6
PT5/16-N03			NPT3/8	39.7		11.5		11/16	6
PT5/16-N04			NPT1/2	42.7		14.5		7/8	6
PT3/8-N01	3/8	18.4	NPT1/8	38.8	47.7	8.5	22	11/16	5
PT3/8-N02			NPT1/4	40.8		10.5		11/16	7
PT3/8-N03			NPT3/8	41.8		11.5		11/16	7
PT3/8-N04			NPT1/2	44.8		14.5		7/8	7
PT1/2-N02	1/2	21	NPT1/4	46	56.5	10.5	22	3/4	8
PT1/2-N03			NPT3/8	47		11.5		3/4	9
PT1/2-N04			NPT1/2	50		14.5		7/8	9

METRIC-BSPP (G) 公制管-BSPP(G)螺纹

MODEL	ΦD	T (Thread)	L	E	A	B	H	ORIFIC
PT04-G01	4	G1/8	30.3	36.6	5.5	15	14	2.5
PT04-G02		G1/4	32		7.5		17	2.5
PT06-G01	6	G1/8	32.3	37.8	5.5	15	14	2.5
PT06-G02		G1/4	34.8		7.5		17	4
PT06-G03		G3/8	36.2		7.5		20	4
PT08-G01	8	G1/8	32.5	45	5.5	18	14	4
PT08-G02		G1/4	35.5		7.5		17	4
PT08-G03		G3/8	37.5		7.5		20	6
PT08-G04		G1/2	40		10		24	6
PT10-G01	10	G1/8	38.9	55.4	5.5	22	17	6
PT10-G02		G1/4	42.5		7.5		17	6.5
PT10-G03		G3/8	44.1		7.5		20	6.5
PT10-G04		G1/2	46.9		10		24	7.5
PT12-G02	12	G1/2	44.5	59	7.5	22	19	6.5
PT12-G03		G3/8	46.6		7.5		20	7
PT12-G04		G1/2	49.6		10		24	7.5
PT16-G03	16	G3/8	55.4	65	7.5	24	24	11
PT16-G04		G1/2	60		10		24	14

METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	T (Thread)	L	E	A	B	H	ΦP	d	ORIFIC
PST-04-1/8	4	PT1/8	38.8	24	8	15	10	11	6.5	2.5
PST-04-1/4		PT1/4	41.8	26.3	10		14		8.7	2.5
PST-04-3/8		PT3/8	43.1	28	11		17		11.7	2.5
PST-04-M5		M5×P0.8	35.6	24	4		10		2.5	2.5
PST-04-M6	6	M6×P1.0	36.1	24	5	15	10	13	2.5	2.5
PST-06-1/8		PT1/8	40.1	25.2	8		12		6.5	2.5
PST-06-1/4		PT1/4	43	26.9	10		14		8.5	4
PST-06-3/8		PT3/8	44.3	28.6	11		17		11.2	4
PST-06-1/2	8	PT1/2	47.8	30.9	14	18	21	14.4	14	4.5
PST-06-M5		M5×P0.8	37.3	25.2	4		12		2.5	2.5
PST-06-M6		M6×P1.0	37.8	25.2	5		12		2.5	2.5
PST-08-1/8		PT1/8	46.3	30.5	8		14		6.8	4
PST-08-1/4	10	PT1/4	48.3	30.5	10	22	14	18.4	8.2	4
PST-08-3/8		PT3/8	49.6	32.2	11		17		11.9	4
PST-08-1/2		PT1/2	53.1	34.5	14		21		13.9	4
PST-10-1/8		PT1/8	55	37.4	8		17		6.5	6.5
PST-10-1/4	12	PT1/4	57	37.4	10	22	17	21	8.3	6.5
PST-10-3/8		PT3/4	58	37.4	11		17		11.7	6.5
PST-10-1/2		PT1/2	61.5	39.7	14		21		14.3	7.5
PST-12-1/8		PT1/8	58	40.4	8	22	19	21	6.5	6.5
PST-12-1/4	16	PT1/4	60	40.4	10		19		8	6.5
PST-12-3/8		PT3/8	62	40.4	11		19		11.5	6.5
PST-12-1/2		PT1/2	64.5	41.5	14		21		14	6.5

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	T (Thread)	L	E	A	B	H	ORIFICE
PST5/32-UNF	5/32	11	UNF10/32	42.1	25.0	3.6	15	7/16	2.5
PST5/32-N01			NPT1/8	45.7		8.5		7/16	3
PST5/32-N02			NPT1/4	48.7		10.5		9/16	3
PST3/16-UNF	3/16	13	UNF10/32	41.5	25.1	3.6	15	7/16	3
PST3/16-N01			NPT1/8	45.1		8.5		7/16	3
PST3/16-N02			NPT1/4	48.1		10.5		9/16	3
PST3/16-N03			NPT3/8	49.1		11.5		11/16	3
PST1/4-UNF	1/4	13	UNF10/32	47.4	28.0	3.6	15	1/2	2.5
PST1/4-N01			NPT1/8	49.3		8.5		1/2	4.5
PST1/4-N02			NPT1/4	52.0		10.5		9/16	4.5
PST1/4-N03			NPT3/8	53.0		11.5		11/16	4.5
PST5/16-N01	5/16	14.4	NPT1/8	53.7	30.9	8.5	18	9/16	6
PST5/16-N02			NPT1/4	55.7		10.5		9/16	6
PST5/16-N03			NPT3/8	56.7		11.5		11/16	6
PST5/16-N04			NPT1/2	59.7		14.5		7/8	6
PST3/8-N01	3/8	18.4	NPT1/8	63.3	34.7	8.5	22	11/16	5
PST3/8-N02			NPT1/4	65.3		10.5		11/16	7
PST3/8-N03			NPT3/8	66.3		11.5		11/16	7
PST3/8-N04			NPT1/2	69.3		14.5		7/8	7
PST1/2-N02	1/2	21	NPT1/4	57.3	40.8	10.5	22	3/4	8
PST1/2-N03			NPT3/8	58.3		11.5		3/4	10
PST1/2-N04			NPT1/2	61.3		14.5		7/8	10

METRIC-BSPP (G) 公制管-BSPP(G)螺纹


MODEL	Φ D	T (Thread)	L	E	A	B	H	ORIFICE
PST04-G01	4	G 1/8	43.5	26.3	5.5	15	14	2.5
PST04-G02		G 1/4	45.6	28	7.5		17	2.5
PST06-G01	6	G 1/8	45	26.9	5.5	15	14	2.5
PST06-G02		G 1/4	47.3	28.6	7.5		17	4
PST06-G03		G 3/8	48.6	30.3	7.5		20	4
PST08-G01	8	G 1/8	50.6	30.5	5.5	18	14	4
PST08-G02		G 1/4	53.7	32.2	7.5		17	4
PST08-G03		G 3/8	55	33.9	7.5		20	6
PST08-G04		G 1/2	57.7	36.2	10		24	6
PST10-G01	10	G 1/8	61	37.4	5.5	22	17	6
PST10-G02		G 1/4	64.3	37.4	7.5		17	6.5
PST10-G03		G 3/8	66.2	39.1	7.5		20	6.5
PST10-G04		G 1/2	68.8	41.4	10		24	7.5
PST12-G02		G 1/4	65.2	40.4	7.5		19	6.5
PST12-G03	12	G 3/8	67.8	40.9	7.5	22	20	7
PST12-G04		G 1/ 2	70.8	43.2	10		24	7.5

ONE-TOUCH FITTINGS

快插接头



PUC




METRIC 公制

MODEL	φ D	E	C	B	φ P	ORIFIC
PUC-04	4	32.6	3.2	15	11	3
PUC-06	6	35	3.2	15	13	5
PUC-08	8	38.6	3.2	18	14.4	6
PUC-10	10	47.6	4.2	22	18.4	8
PUC-12	12	48.8	4.2	22	21	10
PUC-16	16	64.8	5.2	24	26	13

INCH 英制

MODEL	φ D	φ P	L	E	C	B	ORIFICE
PUC5/32	5/32	11	12.8	32.6	3.2	15	3
PUC3/16	3/16	13	15.1	35	3.2	15	5
PUC1/4	1/4	13	16.3	35	3.2	15	5
PUC5/16	5/16	14.4	19.9	38.6	3.2	18	6
PUC3/8	3/8	18.4	21.5	47.6	4.2	22	8
PUC1/2	1/2	21	24.5	48.8	4.2	22	10

PUL



METRIC 公制

MODEL	φ D	L	B	C	φ P	ORIFICE
PUL-04	4	24	15	3.2	11	3
PUL-06	6	25.5	15	3.2	13	5
PUL-08	8	29.6	18	3.2	14.4	6
PUL-10	10	36.7	22	4.2	18.4	8
PUL-12	12	39.8	22	4.2	21	10
PUL-16	16	45	24	5.2	26	12.5

INCH 英制

MODEL	φ D	φ P	L	C	B	ORIFICE
PUL5/32	5/32	11	24	3.2	15	3
PUL3/16	3/16	13	25.5	3.2	15	5
PUL1/4	1/4	13	25.5	3.2	15	5
PUL5/16	5/16	14.4	29.6	3.2	18	6
PUL3/8	3/8	18.4	36.7	4.2	22	8
PUL1/2	1/2	21	39.8	4.2	22	10


METRIC 公制

MODEL	φ D	E	L	M1	M2	B	φ P	ORIFICE
PUT-04	4	36.8	24.1	7.2	13.6	15	11	3
PUT-06	6	37.8	25.8	7.8	15.6	15	13	5
PUT-08	8	44.6	29.6	9.1	17.3	18	14.4	6
PUT-10	10	57	37.8	11.8	23.4	22	18.4	8
PUT-12	12	58.6	39.3	14	26.5	22	21	10
PUT-16	16	63.4	44.8	16.5	30.7	24	26	12.5


INCH 英制

MODEL	φ D	φ P	E	L	C	B	M1	M2	ORIFICE
PUT5/32	5/32	11	36.8	24.1	3.2	15	7.2	13.6	3
PUT3/16	3/16	13	37.8	25.8	3.2	15	7.8	15.6	5
PUT1/4	1/4	13	37.8	25.8	3.2	15	7.8	15.6	5
PUT5/16	5/16	14.4	44.6	29.6	3.2	18	9.1	17.3	6
PUT3/8	3/8	18.4	57	37.8	4.2	22	11.8	23.4	8
PUT1/2	1/2	21	58.6	39.3	4.2	22	14	26.5	10

PUT



PY




ONE-TOUCH FITTINGS


快插接头



PWT



PWT-G



METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ϕD	T (Thread)	L	E	A	B	H	ϕP	d	ORIFICE
PWT-04-1/8	4	PT1/8	38.8	22.1	8	15	10	11	6.5	2.5
PWT-04-1/4		PT1/4	41.8		10	15	14		8.7	2.5
PWT-04-3/8		PT3/8	43.1		11	15	17		11.7	2.5
PWT-04-M5		M5×P0.8	35.6		4	15	10		2.5	2.5
PWT-04-M6	6	M6×P1.0	36.1	26	5	15	10	13	2.5	2.5
PWT-06-1/8		PT1/8	40.1		8	15	12		6.5	2.5
PWT-06-1/4		PT1/4	43		10	15	14		8.5	4
PWT-06-3/8		PT3/8	44.3		11	15	17		11.2	4
PWT-06-1/2	8	PT1/2	47.8	29.8	14	15	21	14.4	14	4.5
PWT-06-M5		M5×P0.8	37.3		4	15	12		2.5	2.5
PWT-06-M6		M6×P1.0	37.8		5	15	12		2.5	2.5
PWT-08-1/8		PT1/8	46.3		8	18	14		6.8	4
PWT-08-1/4	10	PT1/4	48.3	36.8	10	18	14	18.4	8.2	4
PWT-08-3/8		PT3/8	49.6		11	18	17		11.9	4
PWT-08-1/2		PT1/2	53.1		14	18	21		13.9	4
PWT-10-1/8		PT1/8	55		8	22	17		6.5	6.5
PWT-10-1/4	12	PT1/4	57	42.4	10	22	17	21	8.3	6.5
PWT-10-3/8		PT3/4	58		11	22	17		11.7	6.5
PWT-10-1/2		PT1/2	61.5		14	22	21		14.3	7.5
PWT-12-1/8		PT1/8	58		8	22	19		6.5	6.5
PWT-12-1/4		PT1/4	60		10	22	19		7.8	6.5
PWT-12-3/8		PT3/8	62		11	22	19		11.5	6.5
PWT-12-1/2		PT1/2	64.5		14	22	21		14	7.5

INCH-NPT 英制管-NPT螺纹

MODEL	ϕD	ϕP	T (Thread)	L	E	A	B	H	OPIFICE
PWT5/32-UNF	5/32	11	UNF10/32	38.8	21.1	3.6	15	7/16	2.5
PWT5/32-N01			NPT1/8	41.7		8.5		7/16	3
PWT5/32-N02			NPT1/4	44.7		10.5		9/16	3
PWT3/16-UNF	3/16	13	UNF10/32	41.8	26	3.6	15	7/16	3
PWT3/16-N01			NPT1/8	45.4		8.5		7/16	3
PWT3/16-N02			NPT1/4	48.4		10.5		9/16	3
PWT3/16-N03	1/4	13	NPT3/8	49.4	26	11.5	15	11/16	3
PWT1/4-UNF			UNF10/32	45.8		3.6		1/2	2.5
PWT1/4-N01			NPT1/8	47.7		8.5		1/2	4.5
PWT1/4-N02	5/16	14.4	NPT1/4	50.4	29.8	10.5	18	9/16	4.5
PWT1/4-N03			NPT3/8	51.4		11.5		11/16	4.5
PWT5/16-N01			NPT1/8	47.0		8.5		9/16	6
PWT5/16-N02	3/8	18.4	NPT1/4	49.0	36.8	10.5	22	9/16	6
PWT5/16-N03			NPT3/8	50.0		11.5		11/16	6
PWT5/16-N04			NPT1/2	53.0		14.5		7/8	6
PWT3/8-N01	1/2	21	NPT1/8	52.7	42.4	8.5	22	11/16	5
PWT3/8-N02			NPT1/4	54.7		10.5		11/16	7
PWT3/8-N03			NPT3/8	55.7		11.5		11/16	7
PWT3/8-N04			NPT1/2	58.7		14.5		7/8	7
PWT1/2-N02			NPT1/4	64.6		10.5		7/8	7
PWT1/2-N03			NPT3/8	65.6		11.5		7/8	7
PWT1/2-N04			NPT1/2	68.6		14.5		7/8	7

METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	ϕD	T (Thread)	L	E	A	B	H	ORIFICE
PWT04-G01	4	G 1/8	42.6	22.1	5.5	15	14	2.5
PWT04-G02		G 1/4	44.3		7.5		17	2.5
PWT06-G01		G 1/8	44.1		5.5		14	2.5
PWT06-G02	6	G 1/4	46.2	26	7.5	15	17	4
PWT06-G03		G 3/8	47.8		7.5		20	4
PWT08-G01		G 1/8	46.5		5.5		14	4
PWT08-G02	8	G 1/4	48.5	29.8	7.5	18	17	4
PWT08-G03		G 3/8	50.2		7.5		20	4
PWT08-G04		G 1/2	53.5		10		24	4
PWT10-G01	10	G 1/8	55.2	36.8	5.5	22	17	6.5
PWT10-G02		G 1/4	57.2		7.5		17	6.5
PWT10-G03		G 3/8	58.9		7.5		20	6.5
PWT10-G04	12	G 1/2	62.2	42.4	10	22	24	7.5
PWT12-G02		G 1/4	60		7.5		19	6.5
PWT12-G03		G 3/8	61.7		7.5		20	6.5
PWT12-G04		G 1/2	65		10		24	7.5

METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ϕD	T (Thread)	E	L	A	B	H	ϕP	d	ORIFICE
PLL-04-1/8	4	PT1/8	24	42.7	8	15	10	11	6.5	2.5
PLL-04-1/4		PT1/4		44.7	10		14		8.7	2.5
PLL-04-3/8		PT3/8		45.9	11		17		11.7	2.5
PLL-04-M5		M5×P0.8		39	4		10		2.5	2.5
PLL-04-M6	6	M6×P1.0	25.2	40	5	15	10	13	2.5	2.5
PLL-06-1/8		PT1/8		45.3	8		12		6.5	2.5
PLL-06-1/4		PT1/4		47.3	10		14		8.5	4
PLL-06-3/8		PT3/8		48.5	11		17		11.2	4
PLL-06-1/2	8	PT1/2	30.5	52.3	14	18	21	14.4	14	4.5
PLL-06-M5		M5×P0.8		41.6	4		12		2.5	2.5
PLL-06-M6		M6×P1.0		42.6	5		12		2.5	2.5
PLL-08-1/8		PT1/8		49.6	8		14		6.8	4
PLL-08-1/4	10	PT1/4	37.4	51.7	10	22	14	18.4	8.2	4
PLL-08-3/8		PT3/8		53.2	11		17		11.9	4
PLL-08-1/2		PT1/2		59.3	14		21		13.9	4
PLL-10-1/8		PT1/8		59.7	8		17		6.5	6.5
PLL-10-1/4	12	PT1/4	40.4	61.7	10	22	17	21	8.3	6.5
PLL-10-3/8		PT3/8		62.9	11		17		11.7	6.5
PLL-10-1/2		PT1/2		65.7	14		21		14.3	7.5
PLL-12-1/8		PT1/8		63.7	8		21		6.5	6.5
PLL-12-1/4		PT1/4		65.7	10		21		8	6.5
PLL-12-3/8		PT3/8		66.9	11		21		11.5	6.5
PLL-12-1/2		PT1/2		69.7	14		21		14	7.5

INCH-NPT 英制管-NPT螺纹

MODEL	ϕD	ϕP	T (Thread)	L	E	A	B	H	ORIFICE
PLL-5/32-UNF	5/32	11	UNF10/32	32.5	24	3.6	15	7/16	2
PLL-5/32-N01			NPT1/8	35.5		8.5		7/16	3
PLL-5/32-N02			NPT1/4	38.5		10.5		9/16	3
PLL-3/16-UNF	3/16	13	UNF10/32	32.5	25.2	3.6	15	7/16	2
PLL-3/16-N01			NPT1/8	35.5		8.5		7/16	3
PLL-3/16-N02			NPT1/4	38.5		10.5		9/16	3
PLL-3/16-N03	1/4	13	NPT3/8	38.5	25.2	11.5	15	11/16	3
PLL-1/4-UNF			UNF10/32	37.5		3.6		1/2	2
PLL-1/4-N01			NPT1/8	41.3		8.5		1/2	4.5
PLL-1/4-N02	5/16	14.4	NPT1/4	44.0	30.5	10.5	18	9/16	4.5
PLL-1/4-N03			NPT3/8	45.0		11.5		11/16	4.5
PLL-5/16-N01			NPT1/8	44.4		8.5		9/16	6
PLL-5/16-N02	3/8	18.4	NPT1/4	46.4	37.4	10.5	22	9/16	6
PLL-5/16-N03			NPT3/8	50.4		11.5		11/16	6
PLL-3/8-N02			NPT1/4	50.0		10.5		11/16	7
PLL-3/8-N03	1/2	21	NPT3/8	51.0	40.4	11.5	22	11/16	7
PLL-3/8-N04			NPT1/2	54.0		14.5		7/8	7
PLL-1/2-N02			NPT1/4	57.5		10.5		3/4	8
PLL-1/2-N03			NPT3/8	58.5		14.5		3/4	9
PLL-1/2-N04			NPT1/2	61.5		14.5		7/8	9

METRIC-BSPP(G) 公制管-BSPP(G)螺纹


MODEL	ϕD	T (Thread)	L	E	A	B	H	ORIFICE
PLL04-G01	4	G 1/8	42	24	5.5	15	14	2.5
PLL04-G02		G 1/4	44		7.5		17	2.5
PLL06-G01		G 1/8	45.8		5.5		14	2.4
PLL06-G02	6	G 1/4	47.8	25.2	7.5	15	17	4
PLL06-G03		G 3/8	49		7.5		20	4
PLL08-G01		G 1/8	48		5.5		14	4
PLL08-G02	8	G 1/4	51.3	30.5	7.5	18	17	4
PLL08-G03		G 3/8	52.6		7.5		20	4

ONE-TOUCH FITTINGS

快插接头



PLJ




METRIC 公制

MODEL	ϕ D2	ϕ D1	P	E	L	B	ORIFICE
PLJ-04	4	4	11	24	40.5	15	2
PLJ-06	6	6	13	25.2	43.5	15	4
PLJ-08	8	8	14.4	30.5	49	18	6
PLJ-10	10	10	18.4	37.4	57	22	7
PLJ-12	12	12	21	40.4	62	22	9
PLJ-16	16	16	26	46.2	74	24	12
PLJ-0604	6	4	13	25.2	42.5	15	2
PLJ-0806	8	6	14.4	30.5	45.5	15	4
PLJ-1008	10	8	18.4	37.4	51	18	6
PLJ-1210	12	10	21	40.4	59	22	7

INCH 英制

MODEL	ϕ D	ϕ D2	ϕ P	L	E	A	B	ORIFICE
PLJ5/32	5/32	5/32	11	33.7	24	22	15	2
PLJ3/16	3/16	3/16	11	43.3	25.2	24	15	2.6
PLJ1/4	1/4	1/4	13	47.5	25.2	25	15	4.2
PLJ5/16	5/16	5/16	14.4	41.5	30.5	26	18	6
PLJ3/8	3/8	3/8	18.4	54.6	37.4	28	22	7
PLJ1/2	1/2	1/2	21	62.0	40.4	30	22	9
PLJ1/4-5/32	1/4	5/32	11	43.8	25.2	25	15	2
PLJ5/16-1/4	5/16	1/4	13.0	48.5	30.5	26	15	4.2
PLJ3/8-1/4	3/8	1/4	13.0	50.5	37.4	28	15	4.2
PLJ3/8-5/16	3/8	5/16	14.4	54.3	40.4	28	18	6

PYJ



METRIC 公制

MODEL	ϕ D	L	E	B	D1	ORIFICE
PYJ-04	4	51.3	22.1	15	4	2
PYJ-06	6	52.9	26	15	6	3
PYJ-08	8	58.2	29.8	18	8	5.5
PYJ-10	10	69	36.8	22	10	7
PYJ-12	12	73.1	42.4	22	12	7.5

INCH 英制

MODEL	ϕ D	ϕ D2	ϕ P	L	E	A	B	ORIFICE
PYJ5/32	5/32	5/32	11	54.2	22.1	24	15	2.6
PYJ3/16	3/16	3/16	13	57.9	26	24	15	2.6
PYJ1/4	1/4	1/4	13	60.9	26	25	15	4
PYJ5/16	5/16	5/16	14.4	60.5	29.8	26	15	5.6
PYJ3/8	3/8	3/8	18.4	68.5	36.8	28	18	7
PYJ1/2	1/2	1/2	21	80.6	42.4	30	22	7


METRIC 公制

MODEL	ϕ D		L	E	B1	B2	C	P1	ORIFICE
	D1	D2							
PW-06-04	6	4	36.5	22.2	15	15	3.2	13	3.3
PW-08-06	8	6	37.2	26	18	15	3.2	14.4	4
PW-10-08	10	8	44.1	29.6	22	18	4.2	18.4	5
PW-12-10	12	10	52.2	37.2	22	22	4.2	21	6.4


INCH 英制

MODEL	ϕ D1	ϕ D2	ϕ P1	L	E	C	B1	B2	ORIFICE
PW3/16-5/32	3/16	5/32	13	36.5	22.2	3.2	15	15	3.3
PW1/4-5/32	1/4	5/32	13	36.5	22.2	3.2	15	15	3.3
PW1/4-3/16		3/16		37.2	26	3.2	15	15	4.0
PW5/16-5/32	5/16	5/32	14.4	37.9	22.2	3.2	18	15	3.7
PW5/16-1/4		1/4		40	26	3.3	18	15	5.0
PW3/8-1/4	3/8	1/4	18.4	42	26	3.2	22	15	5.0
PW3/8-5/16		5/16		44.1	29.6	4.2	22	18	7.0
PW1/2-5/16	1/2	5/16	21	50	29.6	3.2	22	18	6.4
PW1/2-3/8		3/8		52.2	37.2	4.2	22	22	7.0

PW



PG



METRIC 公制

MODEL	ϕ D		E	B1	B2	ORIFICE
	D1	D2				
PG-06-04	4	6	35.2	15	15	3.3
PG-08-06	6	8	36.7	15	15	4
PG-10-08	8	10	43.4	18	22	5
PG-12-10	10	12	45.4	22	22	7
PG-16-12	12	16	48.4	22	24	8

INCH 英制


MODEL	ϕ D1	ϕ D2	ϕ P1	ϕ P2	E	B1	B2	ORIFICE
PG 3/16-5/32	3/16	5/32	11	11	35.0	15	15	3.3
PG 1/4-5/32	1/4	5/32	13	11	35.6	15	15	3.3
PG 1/4-3/16		3/16		11	38.2		15	4.0
PG 5/16-5/32	5/16	5/32	14.4	11	38.7	18	15	3.7
PG 5/16-1/4		1/4		13	38.1		15	5.0
PG 3/8-1/4	3/8	1/4	18.4	13	39.7	22	15	5.0
PG 1/2-5/16		5/16		14.4	41.0		18	7.0
PG 1/2-3/8	1/2	3/8	22	18.4	45.3	22	22	8.0

ONE-TOUCH FITTINGS


快插接头



PH



PH-G



METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	Φ D	T (Thread)	E	L	A	B	H	Φ P	d	ORIFICE
PH-04-1/8	4	PT1/8	28	24	9	15	12	11	6.4	2.5
PH-04-1/4		PT1/4	31.5	27.3	11.6		14		8.5	2.5
PH-04-M5		M5×P0.8	24.8	21.2	4		8		2.5	2.5
PH-04-M6		M6×P1.0	24.8	22.2	5		8		2.5	2.5
PH-06-1/8	6	PT1/8	30	24	9	15	12	13	6.4	4
PH-06-1/4		PT1/4	33	27.3	11.6		14		8.5	4
PH-06-3/8		PT3/8	36.6	32	12.5		19		11.8	4
PH-06-M5		M5×P0.8	26.4	21.2	4		8		2.5	2.5
PH-06-M6	6	M6×P1.0	26.4	22.2	5	15	8	13	2.5	2.5
PH-08-1/8		PT1/8	30.3	24	9		12		6.4	4
PH-08-1/4		PT1/4	34.4	27.3	11.6		14		8.5	5
PH-08-3/8		PT3/8	39.7	32	12.5		19		11.8	5
PH-08-1/2	8	PT1/2	42.6	41	15.6	18	24	14.4	13	5
PH-10-1/8		PT1/8	37	24	9		12		6.4	4
PH-10-1/4		PT1/4	36.6	27.3	11.6		14		8.5	5
PH-10-3/8		PT3/8	40.2	32	12.5		19		11.8	8
PH-10-1/2	10	PT1/2	46	41	15.6	22	24	18.4	13	8
PH-12-1/4		PT1/4	37.5	27.3	11.6		14		8.5	5
PH-12-3/8		PT3/8	41	32	12.5		19		11.8	8
PH-12-1/2		PT1/2	48.4	41	15.6		24		13	10

INCH-NPT 英制管-NPT螺纹

MODEL	Φ D	Φ P	T (Thread)	L	E	A	B	H	ORIFICE
PH1/8-UNF	1/8	11	UNF10/32	18.2	21.5	3.6	15	5/16	1.5
PH5/32-UNF	5/32	11	UNF10/32	18.2	25.1	3.6	15	5/16	1.5
PH5/32-N01			NPT1/8	25.0	30.5	8.0		7/16	3.0
PH5/32-N02			NPT1/4	28.8	34.5	10.0		5/16	3.2
PH3/16-UNF			UNF10/32	18.2	26.6	3.6		5/16	1.5
PH3/16-N01	3/16	11	NPT1/8	25.0	31.4	8.0	15	7/16	3.0
PH3/16-N02			NPT1/4	28.8	35.3	10.0		19/32	3.5
PH3/16-N03			NPT3/8	33.7	39.1	11.0		3/4	3.5
PH1/4-UNF			UNF10/32	18.2	28.7	3.6		5/16	1.5
PH1/4-N01	1/4	13	NPT1/8	25.0	32.0	8.0	15	7/16	3.0
PH1/4-N02			NPT1/4	28.8	35.9	10.0		19/32	4.5
PH1/4-N03			NPT3/8	33.7	39.7	11.0		3/4	6.0
PH5/16-N01			NPT1/8	25.0	33.0	8.0		7/16	3.0
PH5/16-N02	5/16	14.4	NPT1/4	28.8	36.8	10.0	18	19/32	4.5
PH5/16-N03			NPT3/8	33.7	40.1	11.0		3/4	6.0
PH5/16-N04			NPT1/2	39.4	45.8	14.0		15/16	6.5
PH3/8-N02			NPT1/4	28.8	37.5	10.0		19/32	4.5
PH3/8-N03	3/8	18.4	NPT3/8	33.7	42.1	11.0	22	3/4	6.0
PH3/8-N04			NPT1/2	39.4	47.3	14.0		15/16	7.0
PH1/2-N03			NPT3/8	33.7	45.1	11.0		3/4	6.0
PH1/2-N04			NPT1/2	39.4	50.5	14.0		15/16	8.0

METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	L	T (Thread)	E	Φ D	B	H	ORIFICE
PH04-G01	24	G 1/8	28	4	15	12	2.5
PH04-G02	27.3	G1/4	31.5			14	2.5
PH06-G01	24	G1/8	30			12	4
PH06-G02	27.3	G1/4	33			14	4
PH06-G03	32	G3/8	36.6	6	15	19	4
PH08-G01	24	G1/8	30.3			12	4
PH08-G02	27.3	G1/4	34.4			14	5
PH08-G03	32	G3/8	37.9			19	5
PH08-G04	41	G1/2	42.6	8	18	24	5
PH10-G02	27.3	G1/4	36.6			14	5
PH10-G03	32	G3/8	40.2			19	8
PH10-G04	41	G1/2	46			24	8
PH12-G02	27.3	G1/4	37.5	12	22	14	5
PH12-G03	32	G3/8	41			19	8
PH12-G04	41	G1/2	48.4			24	10

METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	Φ D	T (Thread)	L	A	B	H	Φ P	ORIFICE
PCF-04-1/8	4	PT1/8	24	8	15	14	10	3
PCF-04-1/4		PT1/4	26.2	10		17		3
PCF-04-3/8		PT3/8	27.3	11		21		3
PCF-06-1/8		PT1/8	24.8	8		14		4.5
PCF-06-1/4	6	PT1/4	24	10	15	17	12	4.5
PCF-06-3/8		PT3/8	28.4	11		21		4.5
PCF-08-1/8		PT1/8	26	8		14		5.8
PCF-08-1/4		PT1/4	28.2	10		17		6
PCF-08-3/8	8	PT3/8	29.8	11	18	21	14	6
PCF-08-1/2		PT1/2	31.7	14		24		8
PCF-10-1/8		PT1/8	28.6	8		17		8
PCF-10-1/4		PT1/4	32.4	10		17		8
PCF-10-3/8	10	PT3/8	33.2	11	22	21	17	8
PCF-10-1/2		PT1/2	35	14		24		8
PCF-12-1/4		PT1/4	33.5	10		21		10
PCF-12-3/8		PT3/8	34.5	11		21		10
PCF-12-1/2	12	PT1/2	36	14	22	24	20	10


INCH-NPT 英制管-NPT螺纹

MODEL	Φ D	Φ P	T	L	A	B	H	ORIFICE
PCF5/32-N01	5/32	10	NPT1/8	27.6	8.5	15	9/16	3.5
PCF5/32-N02			NPT1/4	29.6	10.5		11/16	3.5
PCF3/16-N01			NPT1/8	28.2	8.5		9/16	4.0
PCF3/16-N02			NPT1/4	30.2	10.5		11/16	4.0
PCF1/4-N01	1/4	12	NPT1/8	28.7	8.5	15	9/16	5.0
PCF1/4-N02			NPT1/4	30.7	10.5		11/16	5.0
PCF1/4-N03			NPT3/8	32.7	11.5		7/8	5.0
PCF5/16-N01			NPT1/8	29.0	8.5	18	9/16	6.0
PCF5/16-N02	5/16	14	NPT1/4	31.0	10.5		11/16	6.0
PCF5/16-N03			NPT3/8	32.0	11.5		7/8	6.0
PCF5/16-N04			NPT1/2	35.9	14.5		15/16	6.0
PCF3/8-N01	3/8	17	NPT1/8	31.8	8.5	22	9/16	8.0
PCF3/8-N02			NPT1/4	32.6	10.5		11/16	8.0
PCF3/8-N03			NPT3/8	34.1	11.5		7/8	8.0
PCF3/8-N04			NPT1/2	37.8	14.5		15/16	8.0
PCF1/2-N02	1/2	20	NPT1/4	36.2	10.5	22	7/8	10.0
PCF1/2-N03			NPT3/8	37.6	11.5		7/8	10.0


METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	Φ D	T (Thread)	L	A	B	H	ORIFICE
PCF04-G01	4	G1/8	24	6.5	14.2	14	3
PCF04-G02		G1/4	26.2	9.5	14.2	17	3
PCF06-G01		G1/8	24.8	6.5	15	14	4.5
PCF06-G02		G1/4	27	9.5	15	17	4.5
PCF06-G03	6	G3/8	28.4	10.5	15	21	4.5
PCF08-G01		G1/8	26	6.5	16.7	14	5.8
PCF08-G02		G1/4	28.2	9.5	16.7	17	6
PCF08-G03		G3/8	27	10.5	16.7	21	6
PCF08-G04	8	G1/2	31.7	13.5	16.7	24	8
PCF10-G01		G1/8	28.6	6.5	19.8	17	8
PCF10-G02		G1/4	31.6	9.5	19.8	17	8
PCF10-G03		G3/8	33.2	10.5	19.8	21	8
PCF10-G04	10	G1/2	35	13.5	19.8	24	8
PCF12-G02		G1/4	33.5	9.5	21.8	21	10
PCF12-G03		G3/8	34.5	10.5	21.8	21	10
PCF12-G04		G1/2	36	13.5	21.8	24	10

PCF



PCF-G




ONE-TOUCH FITTINGS


快插接头



PMF



PMF-G



METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	T1 (Thread)	T2	L	A	H1	H2	B	ORIFICE
PMF-04-1/8	4	PT1/8	M12XP1	23.7	8	14	14	15	2.5
PMF-04-1/4		PT1/4		27	10	17			3
PMF-06-1/8		PT1/8		24.7	8	14			4.5
PMF-06-1/4	6	PT1/4	M14XP1	27	10	17	17	15	4.5
PMF-06-3/8		PT3/8		30.8	11	19			4.5
PMF-08-1/8		PT1/8		26	8	17			6
PMF-08-1/4	8	PT1/4	M16XP1	29	10	17	19	18	6
PMF-08-3/8		PT3/8		28.8	11	21			6.5
PMF-08-1/2		PT1/2		36	14	24			6.5
PMF-10-1/8	10	PT1/8	M20XP1	30	8	21	24	22	7.5
PMF-10-1/4		PT1/4		32.6	10	21			8
PMF-10-3/8		PT3/8		33.8	11	21			8
PMF-10-1/2	12	PT1/2	M22XP1	38	14	24	27	22	8
PMF-12-1/4		PT1/4		33.6	10	24			9
PMF-12-3/8		PT3/8		34.6	11	24			10
PMF-12-1/2		PT1/2		37	14	24			10

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	T1 (Thread)	T2	L	E	A	B	H1	H2	ORIFICE
PMF5/32-N01	5/32	10	NPT1/8	M12X1.0P	27.1	4	8.5	15	9/16	14	3
PMF3/16-N01	3/16	12	NPT1/8	M12X1.0P	28.3	4	8.5	15	11/16	14	4
PMF3/16-N02			NPT1/4		30.3				11/16		
PMF1/4-N01	1/4	13	NPT1/8	M14X1.0P	30.9	4	8.5	15	11/16	17	5
PMF1/4-N02			NPT1/4		30.9				11/16		
PMF5/16-N01	5/16	14	NPT1/8	M16X1.0P	29.5	5	8.5	18	3/4	19	6
PMF5/16-N02			NPT1/4		31.5				3/4		
PMF5/16-N03			NPT3/8		32.5				1/8		
PMF3/8-N02	3/8	17	NPT1/4	M20X1.0P	33.3	5	10.5	20	15/16	24	8
PMF3/8-N03			NPT3/8		34.3				15/16		
PMF1/2-N02	1/2	20	NPT1/4	M22X1.0P	39.0	5	10.5	22	15/16	26	10
PMF1/2-N03			NPT3/8		39.0				15/16		
PMF1/2-N04			NPT1/2		41.0				15/16		

METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	T (Thread)	L	E	T1	A	H1	B	H2	ORIFICE
PMF 04-G01	G1/8	23.7	5	M12*1P	9	14	14.2	14	2.5
PMF 04-G02	G1/4	24.7		M14*1P	9	17	15	14	3
PMF 06-G01	G1/8	27		M14*1P	11	17	15	17	4.5
PMF 06-G02	G1/4	30.8		M14*1P	12	17	15	19	4.5
PMF 06-G03	G3/8	26		M16*1P	9	19	16.7	17	4.5
PMF 08-G01	G1/8	29		M16*1P	11	19	16.7	17	6
PMF 08-G02	G1/4	28.8		M16*1P	12	19	16.7	21	6
PMF 08-G03	G3/8	36		M16*1P	14	19	16.7	24	6.5
PMF 08-G04	G1/2	30		M20*1P	9	24	19.8	21	6.5
PMF 10-G01	G1/8	32.6		M20*1P	11	24	19.8	21	7.5
PMF 10-G02	G1/4	33.8		M20*1P	12	24	19.8	21	8
PMF 10-G03	G3/8	38		M20*1P	14	24	19.8	24	8
PMF 10-G04	G1/2	31.6		M20*1P	9	27	21.8	24	8
PMF 12-G02	G1/4	33.6		M20*1P	11	27	21.8	24	9
PMF 12-G03	G3/8	34.6		M20*1P	12	27	21.8	24	10
PMF 12-G04	G1/2	37		M20*1P	14	27	21.8	24	10

METRIC 公制

MODEL	ΦD	ΦP	M1	E	B	ORIFICE
PZA-04	4	11	7.2	35.6	15	3
PZA-06	6	13	7.8	38.2	15	5
PZA-08	8	14.4	9.1	45	18	6
PZA-10	10	18.4	11.8	57.2	22	8
PZA-12	12	21	14	58.6	22	10

INCH 英制

MODEL	ΦD	ΦP	L	E	C	B	M1	M2	ORIFICE
PZA5/32	5/32	11	35.6	35.6	3.2	15	7.2	12.8	3
PZA3/16	3/16	13	38.2	38.2	3.2	15	7.8	15.0	5
PZA1/4	1/4	13	38.2	38.2	3.2	15	7.8	16.5	5
PZA5/16	5/16	14.4	45	45	3.2	18	9.1	18.2	6
PZA3/8	3/8	18.4	57.2	57.2	4.2	22	11.8	20.3	8
PZA1/2	1/2	21	58.6	58.6	4.2	22	14	25.5	10


METRIC 公制

MODEL	ΦD	T	L	H	B	ORIFICE
PMM-04	4	M12XP1	30	14	15	3
PMM-06	6	M14XP1	31.5	17	15	5
PMM-08	8	M16XP1	34.5	19	18	6
PMM-10	10	M20XP1	41	24	22	8
PMM-12	12	M22XP1	44.8	27	22	10


INCH 英制

MODEL	ΦD	T	L	E	B	H	ORIFICE
PMM5/32	5/32	M12X1.0P	30	4	15	14	3
PMM3/16	3/16	M14X1.0P	31.5	4	15	17	4
PMM1/4	1/4	M14X1.0P	31.5	4	15	17	5
PMM5/16	5/16	M16X1.0P	34.5	5	18	19	7
PMM3/8	3/8	M20X1.0P	41	5	22	24	8
PMM1/2	1/2	M22X1.0P	44.8	5	22	26	11

PZA



PMM




ONE-TOUCH FITTINGS

快插接头



PGJ




METRIC 公制

MODEL	Φ D2	A	L	Φ P	Φ D1	B	ORIFICE
PGJ-04-06	4	21.7	36.5	11	6	15	2.8
PGJ-04-08		22	37		8		
PGJ-06-08	6	22.7	41.6	13	8	15	5
PGJ-06-10		24.7	43.6		10		
PGJ-06-12		26.7	45.6		12		
PGJ-08-10	8	27.7	46.6	14.4	10	18	7
PGJ-08-10		28.7	47.6		12		
PGJ-10-12	10	30	52	18.4	12	22	9

INCH 英制

MODEL	Φ D1	Φ D2	Φ P	L	A	B	ORIFICE
PGJ1/8-1/4	1/8	1/4	13	35.8	16.5	15	1.3
PGJ5/32-1/8	5/32	1/8	11	31.7	18.5	15	2
PGJ1/8-1/4		1/4	13	37.8	18.5	15	2
PGJ1/4-1/8	1/4	1/8	11	31.7	20.9	15	2.5
PGJ1/4-5/32		5/32	11	40.4	23.5	15	3.4
PGJ5/16-5/32	5/16	5/32	11	42.9	26.0	15	5
PGJ5/16-1/4		1/4	13	48.0	29.7	15	4
PGJ3/8-1/4	3/8	1/4	13	48.0	31.3	18	5.6
PGJ3/8-5/16		5/16	14.4	44.7	25.0	18	6.5
PGJ1/28-1/4	1/2	1/4	13	48.3	30.9	15	5.7
PGJ1/2-5/16		5/16	14.4	48.5	33.2	18	7
PGJ1/2-3/8		3/8	18.4	51.8	31.8	22	8

PWJ



METRIC 公制

MODEL	Φ D2	L	E	B	Φ D1	ORIFICE
PWJ0604	4	51.3	22.2	15	6	3
PWJ0806	6	52.9	26	15	8	5
PWJ1008	8	58.2	29.6	18	10	7
PWJ1210	10	69	37.2	22	12	7.5

INCH 英制

MODEL	Φ D1	Φ D2	Φ P	L	E	A	B	ORIFICE
PWJ1/4-5/32	1/4	5/32	11	55.2	21.0	25.0	15	3
PWJ5/16-1/4	5/16	1/4	13.0	61.9	29.0	26.3	15	5
PWJ3/8-1/4	3/8	1/4	13.0	64.2	35.0	28.0	15	5
PWJ3/8-5/16	3/8	5/16	14.4	62.8	35.0	28.0	18	6


METRIC 公制

MODEL	Φ D1	Φ D2	Φ P1	Φ P2	L	E	C	B1	B2	M1	M2	ORIFICE
PGT 0604	6	4	13	11	25.4	41.6	3.2	15	15	7.9	13.8	3
PGT 0806	8	6	14.4	13	29.4	46.1	3.2	18	15	9.7	17.0	5
PGT 1006	10	6	18.4	13	31.9	49.2	4.2	22	15	10.9	16.8	5
PGT 1008		8	18.4	14.4	33.5	49.2		22	18		18.8	6
PGT 1208	12	8	21	14.4	35.8	56.0	4.2	22	18	12.4	18.8	7
PGT 1210		10	21	18.4	37.6	56.0		22	22		21.9	8
PGT 1610	16	10	26	18.4	43.1	60.8	5	24	22	15.9	22.8	8
PGT 1612		12	26	21	45.5	63.7		24	22		25.8	10


INCH 英制

MODEL	Φ D1	Φ D2	Φ P1	Φ P2	L	E	C	B1	B2	M1	M2	ORIFICE
PGT 1/4-5/32	1/4	5/32	13	11	26.6	40.5	4.3	15	15	8.3	14.5	3.2
PGT5/16-1/4	5/16	1/4	14.4	13	28.4	43.2	4.5	18	15	9.7	17.5	5.0
PGT3/8-1/4	3/8	1/4	18.4	13	32.2	48.6	4.5	22	15	11.0	17.5	5.0
PGT3/8-5/16	3/8	5/16	18.4	14.4	33.5	50.6	4.5	22	18	10.9	18.8	6.5
PGT1/2-3/8	1/2	3/8	21	18.4	36.8	58.5	4.5	22	22	12.8	22.0	8.0

PGT



PIJ



METRIC 公制

MODEL	Φ D	L	ORIFICE
PIJ04	4	37.0	2.5
PIJ06	6	39.0	3.5
PIJ08	8	41.0	5.0
PIJ10	10	44.0	7.0
PIJ12	12	49.0	8.5
PIJ16	16	53.2	11.8

INCH 英制

MODEL	Φ D	L	ORIFICE
PIJ 5/32	5/32	36.0	2.5
PIJ 3/16	3/16	38.0	2.8
PIJ 1/4	1/4	40.0	3.5
PIJ 5/16	5/16	42.0	5.0
PIJ 3/8	3/8	45.0	7.0
PIJ 1/2	1/2	45.0	9.2

ONE-TOUCH FITTINGS

快插接头




PA



METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	ΦP	T	L	N	E	A	B	H(HeX)	ORIFICE
PA04-M5	4	11	M5×0.8p	18.2	21	25.1	3.6	15	8	1.5
PA06-01	6	13	R1/8	25.0	25	31.2	8	15	11	3.0
PA08-02	8	14.4	R1/4	28.8	29.6	36.8	10	18	15	4.5
PA10-02	10	18.4	R1/4	28.8	35	38.8	10	22	15	4.5
PA10-03			R3/8	32.7		42.2	11		19	4.3
PA12-03	12	21	R3/8	32.7	41	45.9	11	22	19	4.3
PA12-04			R1/2	39.4		50.1	14		24	6.0




PA-G



INCH-BSPP(G) 英制管-BSPP(G)螺纹

MODEL	ΦD	ΦP	T	L	N	E	A	B	H(HeX)	ORIFICE
PA06-G01	6	13	G1/8	23.5	25.0	33.5	4.5	15	12	3.0
PA08-G02	8	14.4	G1/4	28.0	29.0	38.3	6.0	18	12	4.5
PA10-G02	10	18.4	G1/4	28.0	35.0	39.5	6.0	22	12	4.5
PA10-G03	10		G3/8	32.5	35.0	42.5	6.0	22	14	6.0
PA12-G03	12	21	G3/8	32.5	41.0	44.8	6.0	22	14	6.0
PA12-G04	12		G1/2	34.0	41.0	50.3	7.5	22	19	8.0



METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	ΦP	T1	T2	L	E	A1	A2	B	H(Hex)	ORIFICE
PHF04-M5	4	11	M5×0.8p	M5×0.8p	20.0	25.1	3.6	7.0	15	8	1.5
PHF04-M6			M6×1.0p	M6×1.0p	25.0	30.5	4.1	7.0		11	2.0
PHF04-01			PT1/8	PT1/8	30.2	30.5	8.0	8.0		14	3.0
PHF04-02			PT1/4	PT1/4	35.5	34.5	10.0	10.0		17	3.2
PHF06-M5	6	13	M5×0.8p	M5×0.8p	20.0	27.8	3.6	7.0	15	8	1.5
PHF06-M6			M6×1.0p	M6×1.0p	25.0	31.2	4.1	7.0		11	2.0
PHF06-01			PT1/8	PT1/8	30.2	31.2	8.0	8.0		14	3.0
PHF06-02			PT1/4	PT1/4	35.5	35.0	10.0	10.0		17	4.0
PHF06-03	8	14.4	PT3/8	PT3/8	41.2	38.7	11.0	11.0	18	21	5.0
PHF06-04			PT1/2	PT1/2	50.0	44.9	14.0	14.0		24	5.0
PHF08-01			PT1/8	PT1/8	30.2	33.0	8.0	8.0		14	3.0
PHF08-02			PT1/4	PT1/4	35.5	36.8	10.0	10.0		17	4.0
PHF08-03	10	18.4	PT3/8	PT3/8	41.2	40.1	11.0	11.0	22	21	5.0
PHF08-04			PT1/2	PT1/2	50.0	45.8	14.0	14.0		24	6.0
PHF10-01			PT1/8	PT1/8	30.2	35.0	8.0	8.0		14	3.0
PHF10-02			PT1/4	PT1/4	35.5	38.0	10.0	10.0		17	4.0
PHF10-03	12	21	PT3/8	PT3/8	41.2	42.2	11.0	11.0	22	21	5.0
PHF10-04			PT1/2	PT1/2	50.0	47.5	14.0	14.0		24	6.0
PHF12-02			PT1/4	PT1/4	35.5	40.8	10.0	10.0		17	4.0
PHF12-03			PT3/8	PT3/8	41.2	45.9	11.0	11.0		21	5.0
PHF12-04			PT1/2	PT1/2	50.0	50.1	14.0	14.0		24	6.0


INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	T1	T2	L	E	A1	A2	B	H(Hex)	ORIFICE
PHF5/32-UNF	5/32	11	UNF 10/32	UNF 10/32	20.0	25.1	3.6	7.0	15	5/16	1.5
PHF5/32-N01			NPT 1/8	NPT 1/8	30.9	30.5	8.5	8.5		9/16	3.0
PHF3/16-UNF	3/16	13	UNF 10/32	UNF 10/32	20.0	26.6	3.6	7.0	15	5/16	1.5
PHF3/16-N01			NPT 1/8	NPT 1/8	30.9	31.4	8.5	8.5		9/16	3.0
PHF3/16-N02			UNF 1/4	UNF 1/4	35.8	35.3	10.5	10.5		11/16	4.0
PHF3/16-N03			NPT 3/8	NPT 3/8	41.0	39.1	11.5	11.5		7/8	5.0
PHF1/4-UNF	1/4	13	UNF 10/32	UNF 10/32	20	28.7	3.6	7.0	15	5/16	2.5
PHF1/4-N01			NPT 1/8	NPT 1/8	30.9	32.0	8.5	8.5		9/16	3.0
PHF1/4-N02			NPT 1/4	NPT 1/4	35.8	35.9	10.5	10.5		11/16	4.0
PHF1/4-N03			NPT3/8	NPT3/8	41.0	39.7	11.5	11.5		7/8	5.0
PHF5/16-N01	5/16	14.4	NPT 1/8	NPT 1/8	30.9	33.0	8.5	8.5	18	9/16	3.0
PHF5/16-N02			NPT 1/4	NPT 1/4	35.8	36.8	10.5	10.5		11/16	4.0
PHF5/16-N03			NPT3/8	NPT3/8	41.0	40.1	11.5	11.5		7/8	5.0
PHF5/16-N04			NPT1/2	NPT1/2	50.0	45.8	14.5	14.5		1	6.0
PHF3/8-N02	3/8	18.4	NPT 1/4	NPT 1/4	35.8	37.5	10.5	10.5	22	11/16	4.0
PHF3/8-N03			NPT3/8	NPT3/8	41.0	42.1	11.5	11.5		7/8	5.0
PHF3/8-N04			NPT 1/2	NPT 1/2	50.0	47.3	14.5	14.5		1	6.0
PHF1/2-N03	1/2	21	NPT 3/8	NPT 3/8	41.0	45.1	11.5	11.5	22.0	7/8	5.0
PHF1/2-N04			NPT1/2	NPT1/2	50.0	50.5	14.5	14.5		1	6.0


METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	ΦD	ΦP	T1	T2	L	E	A1	A2	B	H(Hex)	ORIFICE
PHF04-G01	4	11	G1/8	G1/8	33.9	31.2	5.0	8.0	15	14	3.0
PHF04-G02			G1/4	G1/4	42.4	34.6	6.5	10.0		17	3.2
PHF04-G03			G3/8	G3/8	44.4	38.4	6.5	11.0		21	3.2
PHF04-G04			G1/2	G1/2	49.9	42.0	8.0	14.0		24	3.2
PHF06-G01	6	13	G1/8	G1/8	33.9	31.9	5.0	8.0	15	14	3.0
PHF06-G02			G1/4	G1/4	42.4	35.3	6.5	10.0		17	4.0
PHF06-G03			G3/8	G3/8	44.4	39.1	6.5	11.0		21	5.0
PHF06-G04			G1/2	G1/2	49.9	42.2	8.0	14.0		24	5.0
PHF08-G01	8	14.4	G1/8	G1/8	33.9	33.8	5.0	8.0	18	14	3.0
PHF08-G02			G1/4	G1/4	42.4	37.1	6.5	10.0		17	4.0
PHF08-G03			G3/8	G3/8	44.4	40.9	6.5	11.0		21	6.0
PHF08-G04			G1/2	G1/2	49.9	44.0	8.0	14.0		24	6.0
PHF10-G01	10	18.4	G1/8	G1/8	33.9	35.7	5.0	8.0	22	14	3.0
PHF10-G02			G1/4	G1/4	42.4	39.0	6.5	10.0		17	4.0
PHF10-G03			G3/8	G3/8	44.4	43.1	6.5	11.0		21	5.0
PHF10-G04			G1/2	G1/2	49.9	46.4	8.0	14.0		24	6.0
PHF12-G02	12	21	G1/4	G1/4	42.4	42.3	6.5	10.0	22	17	4.0
PHF12-G03			G3/8	G3/8	44.4	46.3	6.5	11.0		21	5.0
PHF12-G04			G1/2	G1/2	49.9	50.2	8.0	14.0		24	6.0

PHF



PHF-G




ONE-TOUCH FITTINGS

快插接头



PLM



METRIC 公制

MODEL	ΦD1	ΦD2	ΦP	T	L	E	A	B1	B2	J	H1(Hex)	H2(Hex)	ORIFICE
PLM04	4	4	11	M12×1.0p	32.4	18.7	9.0	15	15	4.0	14	14	30
PLM06	6	6	13	M14×1.0p	38.2	20.4	11.0	15	15	4.0	17	17	4.5
PLM08	8	8	14.4	M16×1.0p	40.3	23.1	11.5	18	18	5.0	19	19	6.0
PLM10	10	10	18.4	M20×1.0p	42.3	23.7	12.0	22	22	5.0	24	24	7.0
PLM12	12	12	21	M22×1.0p	48.1	27.7	15.0	22	22	5.0	26	26	10.0

INCH 英制


MODEL	ΦD1	ΦD2	ΦP	T	L	E	A	B1	B2	J	H1(Hex)	H2(Hex)	ORIFICE
PLM5/32	5/32	5/32	11	M12×1.0p	32.4	18.7	9.0	16.3	16.3	4.0	14	14	3.0
PLM3/16	3/16	3/16	13	M14×1.0p	34.7	19.2	10.0	16.9	16.9	4.0	17	17	3.0
PLM1/4	1/4	1/4	13	M14×1.0p	38.8	20.5	11.0	17.4	17.4	4.0	17	17	4.5
PLM5/16	5/16	5/16	14.4	M16×1.0p	40.3	23.1	11.5	19.1	19.1	5.0	19	19	6.0
PLM3/8	3/8	3/8	18.4	M20×1.0p	42.2	23.8	12.0	19.8	19.8	5.0	24	24	7.0
PLM1/2	1/2	1/2	21	M22×1.0p	48.4	28.3	15.0	23.0	23.0	5.0	26	26	9.0

PP



METRIC 公制

MODEL	ΦD	ΦP	L	A
PP04	4	4	30.0	17.7
PP06	6	6	34.0	19.4
PP08	8	8	38.0	21.2
PP10	10	10	42.0	23.8
PP12	12	12	46.0	29.5
PP16	16	16	50.0	30.0



INCH 英制


MODEL	ΦD	ΦP	L	A
PP5/32	5/32	5/32	30	18
PP3/16	3/16	3/16	33	19
PP1/4	1/4	1/4	34	20
PP5/16	5/16	5/16	38	22
PP3/8	3/8	3/8	42	25
PP1/2	1/2	1/2	46	28

PPF



METRIC 公制

MODEL	ΦD	ΦP	L	A
PPF04	4	11	18.0	16.8
PPF06	6	13	19.0	17.6
PPF08	8	14.4	21.0	18.7
PPF10	10	18.4	23.0	19.6
PPF12	12	21	25.0	21.9
PPF16	16	26	27.5	24.0




INCH 英制

MODEL	ΦD	ΦP	L	B
PPF5/32	5/32	11	18	16.3
PPF3/16	3/16	13	19	16.8
PPF1/4	1/4	13	19	17.4
PPF5/16	5/16	14.4	21	18.7
PPF3/8	3/8	18.4	23	20.2
PPF1/2	1/2	21	25	22.0

METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	ΦP	T1	T2	L	N	E	A1	A2	B	H(Hex)	ORIFICE
PAF04-M5	4	11	M5×0.8p	M5×0.8p	20.0	21.0	25.1	3.6	7.0	15	8	1.5
PAF06-01	6	13	PT1/8	PT1/8	30.2	25.0	31.2	8.0	8.0	15	14	3.0
PAF08-02	8	14.4	PT1/4	PT1/4	35.5	29.6	36.8	10.0	10.0	18	17	4.0
PAF10-02	10	18.4	PT1/4	PT1/4	35.5	35.5	38.8	10.0	10.0	22	17	4.0
PAF10-03			PT3/8	PT3/8	41.2		42.2	11.0	11.0		21	5.0
PAF12-03	12	21	PT3/8	PT3/8	41.2	41.0	45.9	11.0	11.0	22	21	5.0
PAF12-04			PT1/2	PT1/2	50.0		50.1	14.0	14.0		24	6.0

PAF




ONE-TOUCH FITTINGS


快插接头



PLF



PLF-G



METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	ΦP	Thread	L	E	A	B	H(Hex)	ORIFICE
PLF04-M5	4	11	M5×0.8p	23.8	24	7.0	15	10	2.5
PLF04-M6			M6×0.8p	23.8		7.0		10	
PLF04-1/8			R1/8	24.8		8.0		14	
PLF04-1/4			R1/4	26.8		10.0		17	
PLF06-M5	6	13	M5×0.8p	29.8	25.2	7.0	15	12	4
PLF06-M6			M6×0.8p	29.8		7.0		12	
PLF06-1/8			R1/8	30.8		8.0		14	
PLF06-1/4			R1/4	32.8		10.0		17	
PLF06-3/8	6	13	R3/8	33.8	25.2	11.0	15	22	4
PLF06-1/2			R1/2	35.8		14.0		24	
PLF08-1/8			R1/8	33.2		8.0		14	
PLF08-1/4			R1/4	35.2		10.0		17	
PLF08-3/8	8	14.4	R3/8	36.2	30.5	11.0	18	22	6
PLF08-1/2			R1/2	38.2		14.0		24	
PLF10-1/8			R1/8	37.3		8.0		17	
PLF10-1/4			R1/4	37.3		10.0		17	
PLF10-3/8	10	18.4	R3/8	38.3	37.4	11.0	22	22	7
PLF10-1/2			R1/2	40.3		14.0		24	
PLF12-1/4			R1/4	41.7		10.0		19	
PLF12-3/8			R3/8	42.7		11.0		22	
PLF12-1/2	12	21	R1/2	44.7	40.4	14.0	22	24	10
PLF12-1/2			R1/2	44.7		14.0		24	

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	ΦP	Thread	L	E	A	B	H(Hex)	ORIFICE
PLF5/32-UNF	5/32	11	UNF 10/32	21.5	24	7.0	15	7/16	2.5
PLF5/32-N01			NPT 1/8	22.5		8.5		9/16	2.5
PLF5/32-N02			NPT 1/4	22.5		10.5		11/16	2.5
PLF3/16-UNF	3/16	13	UNF 10/32	20.5	25.2	7.0	15	7/16	2.5
PLF3/16-N01			NPT 1/8	22.5		8.5		9/16	2.5
PLF3/16-N02			NPT 1/4	25.5		10.5		11/16	2.5
PLF1/4-UNF	1/4	13	UNF 10/32	21	25.2	7.0	15	1/2	3
PLF1/4-N01			NPT 1/8	25		8.5		9/16	4
PLF1/4-N02			NPT 1/4	27		10.0		11/16	4
PLF1/4-N03			NPT 3/8	28		11.5		7/8	4
PLF5/16-N01	5/16	14.4	NPT 1/8	25.9	30.5	8.5	18	9/16	6
PLF5/16-N02			NPT 1/4	27.9		10.5		11/16	6
PLF5/16-N03			NPT 3/8	28.9		11.5		7/8	6
PLF3/8-N02			NPT 1/4	28.5		10.5		11/16	7
PLF3/8-N03	3/8	18.4	NPT 3/8	29.5	37.4	11.5	22	7/8	7
PLF3/8-N04			NPT 1/2	33		14.5		15/16	7
PLF1/2-N03			NPT 3/8	33		11.5		7/8	9
PLF1/2-N04	1/2	21	NPT 1/2	36.5	40.4	14.5	22	15/16	9

METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	ΦD	ΦP	Thread	L	E	A	B	H(Hex)	ORIFICE
PLF04-G01	4	11	G1/8	24.8	24	8.0	15	14	3
PLF04-G02			G1/4	26.8		10.0		17	3
PLF06-G01			G1/8	30.8		8.0		14	4
PLF06-G02	6	13	G1/4	32.8	25.2	10.0	15	17	4
PLF06-G03			G3/8	33.8		11.0		22	4
PLF08-G01			G1/8	33.2		8.0		14	6
PLF08-G02	8	14.4	G1/4	35.2	30.5	10.0	18	17	6
PLF08-G03			G3/8	36.2		11.0		22	6
PLF08-G04			G1/2	38.2		14.0		24	6
PLF10-G01	10	18.4	G1/8	37.3	37.4	8.0	22	17	7
PLF10-G02			G1/4	37.3		10.0		17	7
PLF10-G03			G3/8	38.3		11.0		22	7
PLF10-G04			G1/2	40.3		14.0		24	7
PLF12-G02	12	21	G1/4	41.7	40.4	10.0	22	19	8
PLF12-G03			G3/8	42.7		11.0		22	10
PLF12-G04			G1/2	44.7		14.0		24	10



METRIC 公制

MODEL	ΦD1	ΦD2	L	B1	B2	ΦP1	ΦP2	M1	M2	ORIFICE
PKG6-4	6	4	50.5	15	15	13	11	8	34	3.2
PKG8-4	8	4	53	15	15	14.4	11	9	34.4	4.2
PKG8-6	8	6	80	18	15	14.4	13	9	40.6	3.2
PKG10-6	10	6	80	22	15	18.4	14.4	10.5	42	4.2
PKG10-8	10	8	70	22	18	18.4	14.4	10.5	47	4.2

INCH 英制

MODEL	ΦD1	ΦD2	ΦP1	ΦP2	L	E	C	B1	B2	M1	M2	ORIFICE
PKG3/16-5/32	3/16	5/32	11	11	60.5	26.3	4.2	15	15	7.6	34.0	3.2
PKG1/4-5/32	1/4	5/32	13	11	61.6	26.6	4.2	15	15	8.8	36.0	3.2
PKG5/16-5/32	5/16	5/32	14.4	11	65.6	28.2	4.2	18	15	9.2	34.8	3.2
PKG5/16-3/16		3/16		11	68.7	28.9	4.2		15	9.3	41.1	4
PKG5/16-1/4	3/8	1/4	18.4	13	71.9	30	4.2	22	15	9.7	43.5	5
PKG3/8-1/4		1/4		13	74.2	32.2	4.2		15	11.0	43.5	5
PKG3/8-5/16	3/8	5/16	18.4	14.4	83.6	34.5	4.2	22	18	8.5	47.0	6
PKG3/8-5/16		5/16		14.4	83.6	34.5	4.2		18	8.5	47.0	6

PKG





METRIC 公制

MODEL	ΦD1	ΦD2	L	B1	B2	M1	M2	ΦP1	ΦP2	ORIFICE
PKJ6-4	6	4	80	15	15	8	34	13	11	2.6
PKJ8-4	8	4	84	15	15	9	34.4	14.4	10	3.2
PKJ8-6	8	6	91	15	15	9	40.6		13	3.2
PKJ10-6	10	6	102	18	15	10.5	42	18.4	13	4
PKJ10-8	10	8	104	18	18	10.5	47		14.4	5

INCH 英制

MODEL	ΦD1	ΦD2	ΦJ	A	ΦP1	ΦP2	L	E	C	B1	B2	M1	M2	ORIFICE
PKJ3/16-5/32	3/16	5/32	3/16	24	11	11	82.4	25.8	4.2	15	15	7.6	34.0	2.6
PKJ1/4-5/32	1/4	5/32	1/4	25	13	11	84.3	26.6	4.2	15	15	8.8	36.0	3.2
PKJ5/16-5/32	5/16	5/32	26	14.4	11	11	89.5	28.5	4.2	18	15	9.2	34.8	3.2
PKJ5/16-3/16		3/16									15	9.3	41.1	4
PKJ5/16-1/4	3/8	1/4	28	18.4	13	13	91.0	30	4.2	22	15	9.7	43.5	5
PKJ3/8-1/4		1/4									15	11.0	43.5	5
PKJ3/8-5/16	3/8	5/16	3/8	28	18.4	14.4	109.7	34.5	4.2	22	18	8.5	47.0	6
PKJ3/8-5/16		5/16									18	8.5	47.0	6


PKJ



ONE-TOUCH FITTINGS
快插接头



PKD




METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD1	ΦD2	L	B1	B2	B2	ΦP2	M1	M2	C	A	H	T	ORIFICE
PKD6-6-1/8	6	4	68	15	13	13	10	8	34	4.2	8	12	1/8	2.6
PKD6-6-1/4	6	4	70	15	13	13	10	8	34	4.2	10	14	1/4	3.2
PKD8-4-1/4	8	4	73	15	15	15	10	9	34.4	4.2	10	14	1/4	3.2
PKD8-6-1/4	8	6	80	15	15	15	13	9	40.6	4.2	10	14	1/4	4
PKD8-6-3/8	8	6	81.2	15	15	15	13	9	40.6	4.2	11	17	3/8	5
PKD10-8-3/8	10	8	93	22	18	18	15	10.5	47	4.2	11	17	3/8	5

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD1	ΦD2	T	A	ΦP1	ΦP2	L	E	C	B1	B2	M1	M2	H	ORIFICE
PKD3/16-5/32-N01	3/16	5/32	NP51/8	8.5	11.5	10.5	69.8	26.3	3.2	15	15	7.6	34.0	7/16	2.6
PKD1/4-5/32-N01	1/4	5/32	NPT1/8	8.5	13	10.5	71.1	26.6	3.2	15	15	8.8	36.0	1/2	3.2
PKD5/16-5/32-N02		5/32				10.5	77.7	28.2			15	9.2	34.8		3.2
PKD5/16-3/16-N02	5/16	3/16	NPT1/4	10.5	14.5	11.5	80.9	29.0	4.2	18	15	9.3	41.1	9/16	4.0
PKD5/16-1/4N02		1/4				13	84.0	30			15	9.7	43.5		5.0
PKD3/8-1/4N03		1/4	NPT3/8	11.5	17.5	13	86.9	32.2			15	11.0	43.5		5.0
PKD3/8-5/16-N03	3/8	5/16				14.5	96.3	34.5	4.2	22	18	8.5	47.0	11/16	6.6




PKD-G





MERIC-BSPP(G) 公制管-BSPP(G)螺纹


MODEL	ΦD1	ΦD2	C	H	L	B1	B2	A (mm)	T	E	ORIFICE
PKD0604-G01	6	4	3.2	24.7	68	15	15	5.5	G 1/8	14	2.6
PKD0804-G02	8	4	4.2	28.4	73	18	15	7.5	G 1/4	17	3.2
PKD0806-G02	8	6	3.2	27.6	80	18	15	7.5	G 1/4	17	3.2
PKD1008-G03	10	8	4.2	31.5	93	22	18	7.5	G 3/8	20	4



STRUCTURE 结构图



Control out type 排气控制型



Control in type 进气控制型


SPECIFICATIONS 规格

Fluid 流体	Air 气
Operating pressure 操作压力	0~0.9MPa(0~9.2Kg/cm ²)
Negative pressure 负压	50KPa(0.5Kg/cm ²)
Operating temperature 使用温度	0~60°C
Tube material 用管材质	Polyurethane and Nylon 尼龙和聚氨酯

CONTROL MODE 控制形式

Type 型号	Control out 排气控制	Control in 进气控制
Symbol 符号		
Sleeve Color 帽盖颜色	BLUE 蓝	RED 红

SCF



METRIC 公制

MODEL	ΦD	L		E	M2	ΦP	B	C
		MIN	MAX					
SCF-04	4	26	29	40	14	11	15	3.2
SCF-06	6	38	44	47	20.5	13	15	4.2
SCF-08	8	42.8	47.8	52	22	14.4	18	4.2
SCF-10	10	48.2	53.2	62.8	26	18.4	22	4.2
SCF-12	12	49.5	57	74	32	21	22	4.2


INCH 英制

MODEL	ΦD	L		E	M1	M2	ΦP	B	C
		MIN	MAX						
SCF-5/32	5/32	29.9	33.3	45.1	5.9	14.8	11	16.3	3.2
SCF-3/16	3/16	35.0	39.5	50.3	8.3	20.5	11	16.8	3.2
SCE-1/4	1/4	35.0	39.5	50.3	8.3	20.5	13	17.4	4.2
SCF-5/16	5/16	37.4	42.1	55.7	9.8	23	14.4	18.7	4.2
SCF-3/8	3/8	42.9	49.5	61.4	10.7	28	18.4	20.2	4.2
SCF-1/2	1/2	47.4	53.6	69.8	11.7	32	21	22	4.2

ONE-TOUCH FITTINGS

快插接头

SC




METRIC-BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	Thread	E	L		A	B	H	ΦP
				MIN	MAX				
SC04-M5	4	M5*0.8P	26.1	29.5	31	4	15	8	11
SC04-P51/8		PT1/8	28.7	35.4	41.3	9		12	
SC04-PT1/4		PT1/4	33.1	42.6	47.5	11.6		14	
SC06-M5	6	M5*0.8P	26.4	29.5	31	4	15	8	13
SC06-PT1/8		PT1/8	29.1	35.4	41.3	9		12	
SC06-PT1/4		PT1/4	34	42.6	47.5	11.6		14	
SC06-PT3/8		PT3/8	39.6	48	53	12.5		19	
SC08-PT1/8	8	PT1/8	32.4	35.4	41.3	9	18	12	14.4
SC08-PT1/4		PT1/4	37.3	42.6	47.5	11.6		14	
SC08-PT3/8		PT3/8	40	48	53	12.5		19	
SC08-PT1/2		PT1/2	46.6	53.5	61	15.6		24	
SC10-PT1/8	10	PT1/8	37	35.4	41.3	9	22	12	18.4
SC10-PT1/4		PT1/4	41	42.6	47.5	11.6		14	
SC10-PT3/8		PT3/8	43.3	48	53	12.5		19	
SC10-PT1/2		PT1/2	49	53.5	61	15.6		24	
SC12-PT1/4	12	PT1/4	42	42.6	47.5	11.6	22	14	21
SC12-PT3/8		PT3/8	45.9	48	53	12.5		19	
SC12-PT1/2		PT1/2	49	53.5	61	16.6		24	

INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	L		E	A	B	ΦP	H
		MIN	MAX					
SC1/8-UNF	1/8	27.2	30.2	21.5	3.6	15	7.6	5/16
SC5/32-UNF	5/32	27.2	30.2	25.1	3.6	15	11	5/16
SC5/32-NO1		34.9	40.1	30.5	8.0			7/16
SC5/32-NO2		40.0	45.7	34.5	10.0			19/32
SC3/16-UNF	3/16	27.2	30.2	26.6	3.6	15	13	5/16
SC3/16-NO1		34.9	40.1	31.4	8.0			7/16
SC3/16-NO2		40.0	45.7	35.3	10.0			19/32
SC3/16-NO3		46.7	55.0	39.1	11.0			3/4
SC1/4-UNF	1/4	27.2	30.2	28.7	3.6	15	13	5/16
SC1/4-NO1		34.9	40.1	32.0	8.0			7/16
SC1/4-NO2		40.0	45.7	35.9	10.0			19/32
SC1/4-NO3		46.7	55.0	39.7	11.0			3/4
SC5/16-NO1	5/16	34.9	40.1	33.0	8.0	18	14.4	7/16
SC5/16-NO2		40.0	45.7	36.8	10.0			19/32
SC5/16-NO3		46.7	55.0	40.1	11.0			3/4
SC5/16-NO4		53.0	60.2	45.8	14.0			15/16
SC3/8-NO2	3/8	40.0	45.7	37.5	10.0	18.7	18.4	19/32
SC3/8-NO3		46.7	55.0	42.1	11.0			3/4
SC3/8-NO4		53.0	60.2	47.3	14.0			15/16
SC1/2-NO3	1/2	46.7	55.0	45.1	11.0	22	21	3/4
SC1/2-NO4		53.0	60.2	50.5	14.0			15/16

SCG



METRIC-BSPP(G) 公制管-BSPP(G)螺纹

MODEL	ΦD	Thread	E	L		A	B	H	ΦP
				MIN	MAX				
SC04-G1/8	4	G1/8	28.7	35.4	41.3	9	15	12	11
SC04-G1/4		G1/4	33.1	42.6	47.5	11.6		14	
SC06-G1/8	6	G1/8	29.1	35.4	41.3	9	15	12	13
SC06-G1/4		G1/4	34	42.6	47.5	11.6		14	
SC06-G3/8		G3/8	39.6	48	53	12.5		19	
SC08-G1/8	8	G1/8	32.4	35.4	41.3	9	18	12	14.4
SC08-G1/4		G1/4	37.3	42.6	47.5	11.6		14	
SC08-G3/8		G3/8	40	48	53	12.5		19	
SC08-G1/2		G1/2	46.6	53.5	61	15.6		24	
SC10-G1/8	10	G1/8	37	35.4	41.3	9	22	12	18.4
SC10-G1/4		G1/4	41	42.6	47.5	11.6		14	
SC10-G3/8		G3/8	43.3	48	53	12.5		19	
SC10-G1/2		G1/2	49	53.5	61	15.6		24	
SC12-G1/4	12	G1/4	42	42.6	47.5	11.6	22	14	21
SC12-G3/8		G3/8	45.9	48	53	12.5		19	
SC12-G1/2		G1/2	49	53.5	61	15.6		24	

COMPACT ONE-TOUCH FITTINGS

迷你型快插接头

CHAPTER 17 第17章




COMPACT ONE-TOUCH FITTINGS

迷你型快插接头



STRUCTURE 结构图



SPECIFICATIONS 规格


Fluid 流体	Compressed Air 压缩空气
Operating pressure 操作压力	0~0.9MPa(0~9.2Kgf/cm ²)
Negative pressure 负压	-750mmHg
Operating temperature 使用温度	0~60°C
Tube material 用管材质	Polyurethane and Nylon 尼龙和聚氨酯

ORDERING CODE 订购代号

PC				O6				O1				C			
Model 型号				Tube Outer Dia(ΦD) 管外径				Thread Type *Metric Thread&R(PT) Thread 螺纹				C=Compact 迷你型			
				Metric size 螺纹尺寸				Metric size 螺纹尺寸							
Code				03				04				06			
Dia				ø3				ø4				ø6			
Code				M3				M5				M6			
Dia				M3×0.5				M5×0.8				M6×1.0			
												R1/8			


METRIC-R,Metric 公制管，公制螺纹

MODEL	ΦD	ΦP	T	L	A	B	H	X	Y	ORIFICE
PC 03M3C	3	7.0	M3×0.5P	17.1	4.0	11.1	7	92	72	1.5
PC 03M5C		7.2	M5×0.8P	17.7	4.6	11.1	8			2.0
PC 03M6C		7.2	M6×1.0P	18.2	5.1	11.1	8			2.0
PC 0301C		7.2	R1/8	14.5	8.0	11.3	10			2.0
PC 04M3C	4	8.0	M3×0.5P	17.7	4.0	11.6	8	104	82	1.5
PC 04M5C		8.0	M5×0.8P	18.2	4.6	11.6	8			2.4
PC 04M6C		8.0	M6×1.0P	18.8	5.1	11.6	8			3.0
PC 0401C		10.0	R1/8	17.3	8.0	11.6	10			3.0
PC 06M5C	6	10.0	M5×0.8P	19.4	4.6	12.8	10	124	102	2.4
PC 06M6C		10.0	M6×1.0P	19.9	5.1	12.8	10			2.4
PC 0601C		10.0	R1/8	19.6	8.0	12.8	10			5.0




METRIC-R,Metric 公制管，公制螺纹

MODEL	ΦD	ΦP	T	L	E	A	B	H	X	Y	ORIFICE
PL 03M3C	7.6	8.7	M3×0.5P	18.5	17.2	3.0	3.6	8	9.2	7.2	1.5
PL 03M5C			M5×0.8P	19.1		3.6		8			2.4
PL 03M6C			M6×1.0P	19.6		4.1		8			2.4
PL 04M3C			M3×0.5P	19.6		3.0	11.6	8			1.5
PL 04M5C	8.7	10.8	M5×0.8P	20.2	18.2	3.6		8	10.4	8.2	2.5
PL 04M6C			M6×1.0P	20.7		4.1		8			2.5
PL 0401C			R1/8	20.7		8.0		10			2.5
PL 06M5C	10.8	12.4	M5×0.8P	22.3	19.4	3.6	12.8	8	12.4	10.2	2.5
PL 06M6C			M6×1.0P	22.8		4.1		8			2.5
PL 0601C			R1/8	22.8		8.0		10			2.5



METRIC-R,Metric 公制管，公制螺纹

MODEL	ΦD	ΦP	T	L	E	A	B	H	X	Y	ORIFICE
PT 03M3C	3	7.6	M3×0.5P	18.5	26.6	3.0	3.6	8	9.2	7.2	1.5
PT 03M5C			M5×0.8P	19.1		3.6		8			2.4
PT 03M6C			M6×1.0P	19.6		4.1		8			2.4
PT 04M3C			M3×0.5P	19.6		3.0	11.6	8			1.5
PT 04M5C	4	8.7	M5×0.8P	20.2	28.6	3.6		8	10.4	8.2	2.5
PT 04M6C			M6×1.0P	20.7		4.1		8			3.0
PT 0401C			R1/8	20.7		8.0		10			3.0
PT 06M5C	6	10.8	M5×0.8P	22.3	31.0	3.6	12.8	8	12.4	10.2	2.5
PT 06M6C			M6×1.0P	22.8		4.1		8			3.0
PT 0601C			R1/8	22.8		8.0		10			3.0



COMPACT ONE-TOUCH FITTINGS

迷你型快插接头




PUC-C



METRIC 公制

MODEL	ΦD	ΦP	E	B	X	Y	ORIFICE
PUC 03C	3	7.6	23.2	11.1	9.2	7.2	2.4
PUC 04C	4	8.5	24.5	11.6	10.4	8.2	3.0
PUC 06C	6	10.7	26.6	12.8	12.4	10.2	4.0




PUL-C



METRIC 公制

MODEL	ΦD	ΦP	L	E	C	B	X	Y	ORIFICE
PUL 03C	3	7.6	17.1	17.1	3.2	11.1	9.2	7.2	2.4
PUL 04C	4	8.5	18.5	18.5	3.2	11.6	10.4	8.2	3.0
PUL 06C	6	10.7	21.8	21.8	3.2	12.8	12.4	10.2	4.0




PUT-C




METRIC 公制

MODEL	ΦD	ΦP	L	E	C	B	M1	M2	X	Y	ORIFICE
PUT 03C	3	7.6	17.1	17.1	3.2	11.1	5.4	10.7	9.2	7.2	2.4
PUT 04C	4	8.5	18.5	18.5	3.2	11.6	5.8	11.6	10.4	8.2	3.0
PUT 06C	6	10.7	21.8	21.8	3.2	12.8	6.9	13.8	12.4	10.2	4.0



METRIC-R, Metric 公制管，公制螺纹

MODEL	ΦD	ΦP	T		E	A	B	H	X	Y	ORIFICE
PST 03M3C	3	7.6	M3×0.5P	28.3	13.3	3.0	11.1	8	9.2	7.2	1.5
PST 03M5C			M5×0.8P	28.9		3.6		8			2.4
PST 03M6C			M6×1.0P	29.4		4.1		8			2.4
PST 04M3C	4	8.7	M3×0.5P	29.8	14.2	3.0	11.6	8	10.4	8.2	1.5
PST 04M5C			M5×0.8P	30.4		3.6		8			2.5
PST 04M6C			M6×1.0P	30.9		4.1		8			3.0
PST 0401C	6	10.8	R1/8	30.9	16.5	8.0	12.8	10	12.4	10.2	3.0
PST 06M5C			M5×0.8P	33.5		3.6		8			2.5
PST 06M6C			M6×1.0P	34.0		4.1		8			3.0
PST 0601C			R1/8	34.0		8.0		10			3.0




PST-C



METRIC 公制

MODEL	ΦD	ΦP	L	E	C	B	X	Y	ORIFICE
PY 03C	3	7.6	26.8	15.2	3.2	11.1	9.2	7.2	2.4
PY 04C	4	8.7	28.0	17.4	3.2	11.8	10.4	8.2	3.0
PY 06C	6	10.8	30.8	21.6	3.2	12.9	12.4	10.2	4.0




PY-C



METRIC 公制

MODEL	ΦD1	ΦD2	ΦP1	ΦP2	E	B1	B2	X1	Y1	X2	Y2	ORIFICE
PG 03C	4	3	8.5	7.6	23.8	11.6	11.1	10.4	8.2	9.2	7.2	2.4
PG 04C	4	3	10.7	7.6	24.2	12.8	11.1	12.4	10.2	9.2	7.2	2.5
PG 06C	6	4	10.7	8.5	26.3	12.8	11.6	12.4	10.2	10.4	8.2	3.0



PG-C



COMPACT ONE-TOUCH FITTINGS
迷你型快插接头

STOP-FITTING
截止式接头




PMM-C



METRIC 公制

MODEL	ΦD	T	L	E	B	H	ORIFICE
PMM 03C	3	M8×0.75p	23.6	2	11.3	10	2.0
PMM 04C	4	M10×1.0p	24.5	3.5	11.8	12	3.0
PMM 06C	6	M12×1.0p	27.3	4	12.9	14	5.0

PCF-C



METRIC-R, METRIC 公制管, 公制螺纹

MODEL	ΦD	ΦP	T	L	A	B	H	X	Y	ORIFICE
PCF 03M3C	3	7.5	M3×0.5P	17.3	4.0	11.1	8	9.2	7.2	2.5
PCF 03M5C			M5×0.8P	18.8	6.0		8			2.5
PCF 03M6C			M6×1.0P	18.8	6.0		8			2.5
PCF 04M3C	4	8.0	M3×0.5P	18.2	4.0	11.6	8	10.4	8.2	2.5
OCF 04M5C			M5×0.8P	19.7	6.0		8			3.0
OCF 04M6C			M6×1.0P	19.7	6.0		8			3.0
PCF 0401C	6	10.0	R1/8	23.2	8.5	12.8	12	12.4	10.2	3.0
PCF 06M5C			M5×0.8P	21.4	6.0		10			4.0
PCF 06M6C			M6×1.0P	21.4	6.0		10			4.0
PCF 0601C			R1/8	25.4	8.5		12			4.0

POC-C




METRIC-R, METRIC 公制管, 公制螺纹

MODEL	ΦD	ΦP	T	L	A	B	H	X	Y	ORIFICE
POC 03M3C	3	7.0	M3×0.5P	17.1	4.0	11.1	1.5	9.2	7.2	1.5
POC 03M5C		7.0	M5×0.8P	17.7	4.6		2.0			2.0
POC 03M6C		8.0	M6×1.0P	18.2	5.1		2.0			2.0
POC 04M3C	4	8.0	M3×0.5P	17.7	4.0	11.6	1.5	10.4	8.2	1.5
POC 04M5C		8.0	M5×0.8P	18.2	4.6		2.5			2.5
POC 04M6C		8.0	M6×1.0P	18.8	5.1		3.0			3.0
POC 0401C	6	10.0	R1/8	17.3	8.0	12.8	3.0	12.4	10.2	3.0
POC 06M5C		10.0	M5×0.8P	19.4	4.6		2.5			2.5
POC 06M6C		10.0	M6×1.0P	19.9	5.1		3.0			3.0
POC 0601C		10.0	R1/8	19.6	8.0		4.0			4.0


SPECIFICATIONS 规格

Fluid 流体	Compressed Air 压缩空气
Operating pressure 操作压力	0~0.9MPa(0~9.2Kgf/cm ²)
Negative pressure 负压	-750mmHg
Operating temperature 使用温度	0~60°C
Tube material 用管材质	Polyurethane and Nylon 尼龙和聚氨酯




METRIC- BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	ΦP	T	L	A	B	H
SPC 04-01	4	10	R1/8	26.1	8	15.3	10
SPC 06-01	6	12	R1/8	28.8	8	17.0	12
SPC 06-02			R1/4		10		14
SPC 08-02	8	14	R1/4	33.3	10	18.6	14
SPC 08-03			R3/8		11		17
SPC 10-02	10	17	R1/4	35.6	10	20.3	17
SPC 10-03			R3/8		11		17
SPC 10-04	12	18.8	R1/2	41.9	14	22.7	21
SPC 12-02			R1/4		10		19
SPC 12-03			R3/8		11		19
SPC 12-04			R1/2		14		21




METRIC- BSPT(R) 公制管-BSPT(R)螺纹

MODEL	ΦD	ΦP	T	L	E	A	B	H
SPL04-M5	4	10	M5×0.8P	27.3	34.5	4.6	15.3	10
SPL04-M6			M6×1.0P	26.9		4.1		10
SPL04-01	6	12	R1/8	29.8	389	8.0	17.0	10
SPL06-M5			M5×0.8P	30.3		4.6		12
SPL06-01			R1/8	32.8		8.0		12
SPL06-02	8	14	R1/4	35.8	486	10.0	18.6	14
SPL08-01			R1/8	38.2		8.0		14
SPL08-02	10	17	R1/4	41.2	550	10.0	20.3	14
SPL10-02			R1/4	40.3		10.0		17
SPL10-03			R3/8	41.3		11.0		17
SPL10-04			R1/2	44.3		14.0		21
SPL12-03	12	18.8	R3/8	45.7	637	11.0	22.7	19
SPL12-04			R1/2	48.7		14.0		21



METRIC 公制



MODEL	ΦD	ΦP	L	B
SPU 0400	4	10.5	42.1	15.7
SPU 0600	6	12.5	46.0	17.0
SPU 0800	8	14.8	53.7	19.1
SPU 1000	10	17.5	58.2	20.2
SPU 1200	12	20.5	67.1	22.7




CHECK VALVE

截止阀


SPECIFICATIONS 规格	
Fluid 流体	Compressed Air 压缩空气
Operating pressure 操作压力	0~0.9MPa(0~9.2Kgf/cm ²)
Negative pressure 负压	-750mmHg
Operating temperature 使用温度	0~60℃
Tube material 用管材质	Polyurethane and Nylon 尼龙和聚氨酯



METRIC-BSPT(R) 公制管-BSPT(R)螺纹							
MODEL	ΦD	ΦP	T	L	A	B	H
CVPC 04M5	4	10	M5×0.8P	31.4	3.6	15.3	10
CVPC 04M6			M6×1.0P	30.4	4.6	15.3	10
CVPC 0401			R1/8	27.3	8.0	15.3	10
CVPC 0601	6	11.9	R1/8	32.6	8.0	16.3	12
CVPC 0602			R1/4	32.6	10.0	16.3	14
CVPC 0801			R1/8	34.9	8.0	18.3	14
CVPC 0802	8	14	R1/4	37.2	10.0	18.3	14
CVPC 1003			R3/8	56.3	11.0	20.3	22
CVPC 1004			R1/2	58.3	14.0	20.3	22
CVPC 1203	12	25	R3/8	62.3	12.0	23.3	24
CVPC 1204			R1/2	65.3	14.0	23.3	24



BSPT-(R) BSPT-(R) BSPT(R)螺纹-BSPT(R)螺纹						
MODEL	T1	T2	L	A1	A2	H
CVPF 01-01	R1/8	R1/8	28.1	8	8	12
CVPF 02-02	R1/4	R1/4	34.1	11	11	17
CVPF 03-03	R3/8	R3/8	53.8	12	12	22
CVPF 04-04	R1/2	R1/2	61	14	14	24




METRIC 公制				
MODEL	ΦD	ΦP	L	B
CVPU 0400	4	10.5	42.3	15.7
CVPU 0600	6	12.5	47.5	17.0
CVUP 0800	8	14.8	56.4	19.1
CVPU 1000	10	23	65.2	20.5
CVPU 1200	12	25	73	23.3

TWO TOUCH FITTING


塑料快拧接头




SPECIFICATIONS 规格	
Fluid 流体	Compressed Air 压缩空气
Operating pressure 操作压力	0~0.9MPa(0~9.2Kgf/cm ²)
Negative pressure 负压	-750mmHg
Operating temperature 使用温度	0~60℃
Tube material 用管材质	Polyurethane and Nylon 尼龙和聚氨酯




METRIC-BSPT(R) 公制管-BSPT(R)螺纹						
MODEL	ΦD	T	L	A	H1	H2
CK-06-01	6	R1/8	27.5	7.0	12	13
CK-06-02		R1/4	30.5	9.0		15
CK-08-01		R1/8	29.5	9.0		14
CK-08-02	8	R1/4	29.0	9.0	14	15
CK-08-03		R3/8	31.7	10.2		19
CK-10-02		R1/4	33.4	9.2		17
CK-10-03	10	R3/8	34.4	10.2	17	19
CK-12-02		R/4	39.0	9.2		17
CK-12-03		R3/8	41.2	10.2		19



METRIC-BSPT(R) 公制管-BSPT(R)螺纹						
MODEL	ΦD	T	L	EA	A	H1
GCK-06-01	6	R1/8	24.5	26.0	7.0	12
GCK-06-02		R1/4	26.5	29.5	9.0	
GCK-08-01		R1/8	24.5	25.5	8.0	
GCK-08-02	8	R1/4	26.0	29.0	10.0	14
GCK-08-03		R3/8	27.5	32.5	11.0	
GCK-10-02		R1/4	30.0	32.0	12.0	
GCK-10-03	10	R3/8	31.0	34.7	12.0	17
GCK-12-02		R1/4	32.0	41.5	11.0	
GCK-12-03		R3/8	34.0	41.5	12.0	



METRIC 公制							
MODEL	ΦD	L	E	C	M1	M2	H
FCK-06	6	31.1	48.3	4.3	5.7	11.2	12
FCK-08	8	32.0	18.0	4.3	6.6	12.2	14
FCK-10	10	40.0	54.0	4.3	8.3	13.4	17
FCK-12	12	47.7	68.0	4.3	9.3	13.7	19




HAND VALVES

手阀



STRUCTURE 结构图



SPECIFICATIONS 规格

Fluid 流体	Compressed Air 压缩空气
Operating pressure 操作压力	0~0.9MPa(0~9.2Kg/cm ²)
Negative pressure 负压	-750mmHg(10Torr)
Operating temperature 使用温度	0~60℃
Tube material 用管材质	Polyurethane and Nylon 尼龙和聚氨酯


ORDERING CODE 订购代号

HVSF 06 - G01									
Model 型号		Tube Outer Dia 管外径				Thread Size 螺纹尺寸			
HVSF 手阀		METRIC SIZE 公制尺寸		INCH SIZE 英制尺寸		R(BSPT)	NPT	G(BSPP)	
		CODE	DIA.	CODE	DIA.				
		6	∅ 6	1/4	∅ 1/4	01:1/8	N 01:1/8	G 01:1/8	
		8	∅ 8	5/16	∅ 5/16	02:1/4	N 02:1/4	G 02:1/4	
		10	∅ 10	3/8	∅ 3/8	03:3/8	N 03:3/8	G 03:3/8	
		12	∅ 12	1/2	∅ 1/2	04:1/2	N 04:1/2	G 04:1/2	

METRIC-BSPT(R) 公制管-BSPT螺纹

MODEL	ΦD	T	ΦP	H(H ₁₀ X)	ΦC	N	E	B	A	K1	K2	L1	L2	M1	M2
HVSF06-1/8		PT1/8		14					8.0		21.6		35.6		
HVSF06-1/4	6	PT1/4	12.5	14	16.5	18.0	40.5	17.6	10.0	12.2	24.6	26.2	38.6	18.3	19
HVSF06-3/8		PT3/8		17					11.0		25.6		39.6		
HVSF08-1/8		PT1/8		14					8.0		21.6		35.6		
HVSF08-1/4	8	PT1/4	14.8	14	16.5	18.0	40.5	18.7	10.0	13.0	24.6	27.5	38.6	18.3	19
HVSF08-3/8		PT3/8		17					11.0		25.6		39.6		
HVSF10-1/4		PT1/4		17					10.0		23.0		39.5		
HVSF10-3/8	10	PT3/8	17.5	17	19.3	21.2	41.0	19.6	11.0	14.5	24.0	31.0	40.5	21.5	24
HVSF10-1/2		PT1/2		21					14.0		27.0		43.5		
HVSF12-1/4		PT1/4		19					10.0		24.6		41.1		
HVSF12-3/8	12	PT3/8	20.5	19	19.3	21.2	41.0	21.9	11.0	17.7	25.6	34.2	42.1	21.5	24
HVSF12-1/2		PT1/2		21					14.0		28.6		45.1		

HVSF




INCH-NPT 英制管-NPT螺纹

MODEL	ΦD	T	ΦP	H(H ₁₀ X)	ΦC	N	E	B	A	K1	K2	L1	L2	M1	M2
HVSF1/4-N 01		NPT1/8		9/16					8.5		23.1		37.1	18.3	19
HVSF1/4-N 02	1/4	NPT1/4	12.6	9/16	16.5	18.0	40.5	17.7	10.5	12.5	25.1	26.5	39.1	18.3	19
HVSF1/4-N 03		NPT3/8		11/16					11.5		26.1		40.1	18.3	19
HVSF5/16-N 01		NPT1/8		9/16				19.1	8.5		23.1		37.1	18.3	19
HVSF5/16-N 02	5/16	NPT1/4	14.8	9/16	16.5	18.0	40.5	19.1	10.5	13.9	25.1	27.9	39.1	18.3	19
HVSF5/16-N 03		NPT3/8		11/16					11.5		26.1		40.1	18.3	19
HVSF3/8-N 02		NPT1/4		11/16					10.5		23.5		40.0	21.5	24
HVSF3/8-N 03	3/8	NPT3/8	17.5	11/16	19.3	21.2	41.0	19.1	11.5	14.4	24.5	30.9	41.0	21.5	24
HVSF3/8-N 04		NPT1/2		7/8					14.5		27.5		44.0	21.5	24
HVSF1/2-N 01		NPT1/4		3/4					10.5		25.1		41.6	21.5	24
HVSF1/2-N 03	1/2	NPT3/8	21.0	3/4	19.3	21.2	41.0	23.2	11.5	17.8	26.1	34.3	42.6	21.5	24
HVSF1/2-N 04		NPT1/2		7/8					14.5		29.1		45.6	21.5	24

METRIC-BSPP(G) 公制管-BSPP(G) 螺纹

MODEL	ΦD	T	ΦP	H(H ₁₀ X)	ΦC	N	E	B	A	K1	K2	L1	L2	M1	M2
HVSF06-G01		G1/8							5.0		18.6		32.6		
HVSF06-G02	6	G1/4	12.5	12.5	16.5	18.0	40.5	17.6	6.5	12.2	20.1	26.2	34.1	18.3	19
HVSF06-G03		G3/8							6.5		20.1		34.1		
HVSF08-G01		G1/8							5.0		18.6		32.6		
HVSF08-G02	8	G1/4	14.8	14.8	16.5	18.0	40.5	18.7	6.5	13.0	20.1	27.5	34.1	18.3	19
HVSF08-G03		G3/8							6.5		20.1		34.1		
HVSF10-G02		G1/4							6.5		18.5		35.0		
HVSF10-G03	10	G3/8	17.5	17.5	19.3	21.2	41.0	19.6	6.5	14.5	18.5	31.0	35.0	21.5	24
HVSF10-G04		G1/2							8.0		20.0		36.5		
HVSF12-G02		G1/4							6.5		20.1		36.6		
HVSF12-G03	12	G3/8	20.5	20.5	19.3	21.2	41.0	21.9	6.5	17.7	20.1	34.2	36.6	21.5	24
HVSF12-G04		G1/2							8.0		21.6		38.1		

HVSF-G



HAND VALVES

手阀



HVFS




BSPT(R)-METRIC BSPT螺纹-公制管

MODEL	ΦD	T	ΦP	H(Hex)	ΦC	N	E	B	A	K1	K2	L1	L2	M1	M2
HVFS 01-06	6	PT1/8	12.5	14	16.5	18.0	40.5	17.6	8.0	21.6	12.2	35.6	26.2	18.3	19
HVFS 02-06		PT1/4		14					10.0	24.6		38.6			
HVFS 03-06		PT3/8		17					11.0	25.6		39.6			
HVFS 01-08	8	PT1/8	14.8	14	16.5	18.0	40.5	18.7	8.0	21.6	13.0	35.6	27.5	18.3	19
HVFS 02-08		PT1/4		14					10.0	24.6		38.6			
HVFS 03-08		PT3/8		17					11.0	25.6		39.6			
HVFS 02-10	10	PT1/4	17.5	17	19.3	21.2	41.0	19.6	10.0	23.0	14.5	39.5	31.0	21.5	24
HVFS 03-10		PT3/8		17					11.0	24.0		40.5			
HVFS 04-10		PT1/2		21					14.0	27.0		43.5			
HVFS 02-12	12	PT1/4	20.5	19	19.3	21.2	41.0	21.9	10.0	24.6	17.7	41.1	34.2	21.5	24
HVFS 03-12		PT3/8		19					11.0	25.6		42.1			
HVFS 04-12		PT1/2		21					14.0	28.6		45.1			

NPT-INCH NPT螺纹-英制管

MODEL	ΦD	T	ΦP	H(Hex)	ΦC	N	E	B	A	K1	K2	L1	L2	M1	M2
HVFS N01-1/4	1/4	NPT1/8	12.6	9/16	16.5	18.0	40.5	17.6	8.5	23.1	12.5	37.1	26.5	18.3	19
HVFS N02-1/4		NPT1/4		9/16					10.5	25.1		39.1			
HVFS N03-1/4		NPT3/8		11/16					11.5	26.1		40.1			
HVFS N01-5/16	5/16	NPT1/8	14.8	9/16	16.5	18.0	40.5	18.7	8.5	23.1	13.9	37.1	27.9	18.3	19
HVFS N02-5/16		NPT1/4		9/16					10.5	25.1		39.1			
HVFS N03-5/16		NPT3/8		11/16					11.5	26.1		40.1			
HVFS N02-3/8	3/8	NPT1/4	17.5	11/16	19.3	21.2	41.0	19.6	10.5	23.5	14.4	40.0	30.9	21.5	24
HVFS N03-3/8		NPT3/8		11/16					11.5	24.5		41.0			
HVFS N04-3/8		NPT1/2		7/8					14.5	27.5		44.0			
HVFS N02-1/2	1/2	NPT1/4	21.0	3/4	19.3	21.2	41.0	21.9	10.5	25.1	17.8	41.6	34.3	21.5	24
HVFS N03-1/2		NPT3/8		3/4					11.5	26.1		42.6			
HVFS N04-1/2		NPT1/2		7/8					14.5	29.1		45.6			




BSPT(R)-BSPT(R) BSPT(R)螺纹-BSPT(R)螺纹

MODEL	T1	T2	H(Hex)	H(Hex)	ΦC	N	E	A1	A2	B	K1	K2	L1	L2	M1	M2
HVSS01-01	R1/8	R1/8	14	14	16.5	18.0	40.5	8.0	8.0	17.6	21.6	21.6	35.6	35.6	18.3	19
HVSS02-01	R1/4	R1/8	14	14	16.5	18.0	40.5	10.0	10.0	17.6	24.6	24.6	38.6	38.6	18.3	19
HVSS02-02		R1/4														
HVSS03-02	R3/8	R1/4	17	17	19.3	21.2	41.0	11.0	10.0	18.7	24.0	24.6	40.5	38.6	21.5	24
HVSS03-03		R3/8														
HVSS04-03	R1/2	R3/8	21	21	19.3	21.2	41.0	14.0	11.0	18.7	28.6	24.0	45.1	40.5	21.5	24
HVSS04-04		R1/2														


NPT-NPT NPT螺纹-NPT螺纹

MODEL	T1	T2	H(Hex)	H(Hex)	ΦC	N	E	A1	A2	K1	K2	L1	L2	M1	M2
HVSS N01-N01	NPT1/8	NPT1/8	9/16	9/16	16.5	18.0	40.5	8.5	8.5	23.1	23.1	37.1	37.1	18.3	19
HVSS N02-N01	NPT1/4	NPT1/8	9/16	9/16	16.5	18.0	40.5	10.5	8.5	25.1	25.1	39.1	37.1	18.3	19
HVSS N02-N02		NPT1/4		9/16											
HVSS N03-N02	NPT3/8	NPT3/8	11/16	11/16	19.3	21.2	41.0	11.5	10.5	24.5	23.5	41.0	40.0	21.5	24
HVSS N03-N03		NPT3/8		11/16											
HVSS N04-N03	NPT1/2	NPT3/8	7/8	3/4	19.3	21.2	41.0	14.5	11.5	29.1	29.1	45.6	42.6	21.5	24
HVSS N04-N04		NPT1/2		7/8											




BSPP(G)-BSPP(G) BSPP(G)螺纹-BSPP(G)螺纹

MODEL	T1	T2	H(Hex)	H(Hex)	ΦC	N	E	A1	A2	K1	K2	L1	L2	M1	M2
HVSS G01-G01	G1/8	G1/8	14	14	16.5	18.0	40.5	5.0	5.0	18.6	18.6	32.6	32.6	18.3	19
HVSS G02-G01	G1/4	G1/4	17	14	16.5	18.0	40.5	6.5	5.0	20.1	18.6	34.1	32.6	18.3	19
HVSS G02-G02				17											
HVSS G03-G02				17											
HVSS G03-G03	G3/8	G3/8	20	20	19.3	21.2	41.0	6.5	6.5	18.5	18.5	35.0	35.0	21.5	24
HVSS G04-G03				20											
HVSS G04-G04	G1/2	G1/2	24	24	19.3	21.2	41.0	8.0	6.5	21.6	20.1	38.1	36.6	21.5	24




HVFS-G



BSPP(G)-METRIC BSPP(G)螺纹-公制管

MODEL	ΦD	T	ΦP	H(Hex)	ΦC	H(Hex)	E	B	A1	K1	K2	L1	L2	M1	M2
HVFS G01-06	6	G1/8	12.5	14	16.5	18.0	40.5	17.6	8.0	18.6	12.2	32.6	26.2	18.3	19.0
HVFS G02-06		G1/4		17					10.0	20.1		34.1			
HVFS G03-06		G3/8		20					11.0	20.1		34.1			
HVFS G01-08	8	G1/8	14.8	14	16.5	18.0	40.5	18.7	8.0	18.6	13.0	32.6	27.5	18.3	19.0
HVFS G02-08		G1/4		17					10.0	20.1		34.1			
HVFS G03-08		G3/8		20					11.0	20.1		34.1			
HVFS G02-10	10	G1/4	17.5	17	19.3	21.2	41.0	19.6	10.0	18.5	14.5	35.0	31.0	21.5	24.0
HVFS G03-10		G3/8		20					11.0	18.5		35.0			
HVFS G04-10		G1/2		24					14.0	20.0		36.5			
HVFS G02-12	12	G1/4	20.5	19	19.3	21.2	41.0	21.9	10.0	20.1	17.7	36.5	34.2	21.5	24.0
HVFS G03-12		G3/8		20					11.0	20.1		36.6			
HVFS G04-12		G1/2		24					14.0	21.6		38.1			



HVSS



HVSS-G



HVU



METRIC 公制

MODEL	ΦD1	ΦD2	ΦP1	ΦP2	ΦC	N	E	B1	B2	K1	K2	L1	L2	M1	M2
HVU06-06	6	6	12.5	12.5	16.5	18.0	40.5	17.6	17.6	12.2	12.2	26.2	26.2	18.3	19
HVU08-06		6		12.5					17.6		12.2		26.2		
HVU08-08	8	8	14.8	14.8	16.5	18.0	40.5	18.7	18.7	13.0	13.0	27.5	27.5	18.3	19
HVU10-08		8		14.8					18.7		13.0		27.5		
HVU10-10	10	10	17.5	17.5	19.3	21.2	41.0	19.6	19.6	14.5	14.5	31.0	31.0	21.5	24
HVU12-10		10		17.5					19.6		14.5		31.0		
HVU12-12	12	12	20.5	20.5	19.3	21.2	41.0	21.9	21.9	17.7	17.7	34.2	34.2	21.5	24

INCH 英制

MODEL	ΦD1	ΦD2	ΦP1	ΦP2	ΦC	N	E	B1	B2	K1	K2	L1	L2	M1	M2
HVU1/4-1/4	1/4	1/4	12.6	12.6	16.5	16.5	40.5	17.7	17.7	12.5	12.5	26.5	26.5	18.3	19
HVU5/16-1/4		1/4		12.6				19.1	17.7		12.5		26.5		
HVU5/16-5/16	5/16	5/16	14.8	14.8	16.5	16.5	40.5	19.1	19.1	13.9	13.9	27.9	27.9	18.3	19
HVU3/8-5/16		5/16		14.8				19.1	19.7		13.9		27.9		
HVU3/8-3/8	3/8	3/8	17.5	17.5	19.3	19.3	41.0	19.7	19.7	14.4	14.4	30.9	30.9	21.5	24
HVU1/2-3/8		3/8		17.5				23.2	19.7		14.4		30.9		
HVU1/2-1/2	1/2	1/2	21.0	21.0	19.3	19.3	41.0	23.2	23.2	17.8	17.8	34.3	34.3	21.5	24

